



Social and Economic Impact Assessment of Mutation Breeding in Crops of the RCA Programme in Asia and the Pacific



Technical
Cooperation
Programme



Joint FAO/IAEA Programme
Nuclear Techniques in Food and Agriculture



Disclaimer

Disclaimer: The information in this document is presented in good faith using the information available at the time of preparation. It is provided on the basis that the authors of the document are not liable to any person or organization for any damage or loss which may occur in relation to taking or not taking action in respect of any information or advice within this document.

Acknowledgements

The authors are grateful for the close and effective assistance of the International Atomic Energy Agency's Technical Cooperation Division for Asia and the Pacific (TCAP), the Division of Technical Cooperation Programme Support and Coordination (TCPC), the Technical Cooperation Quality Assurance Section, and the technical input from the Nuclear Applications in Food and Agriculture (NAFA) Division. This work was made possible by Mr. Sinh Van Hoang, the RCA Focal Person who initiated, led and coordinated the work, Mr. Frank Bruhn, Ms. Eloisa de Villalobos, Mr. Kofi Isaac Bimpong of the IAEA and the multiple regional experts on mutation breeding, including Mr. Luxiang Liu (China), Mr. Soeranto Human (Indonesia), Mr. Le Huy Ham (Viet Nam). RCA experts on evaluation include Mr. Julian King (Australia-New Zealand), Mr. Aaron Schiff (New Zealand), Mr. Andres Arau (Spain), Ms. Martina Garcia Aisa (Spain) and Ms. Kate McKegg (New Zealand). The programme would not have been possible without the participation and coordination of experts from the 22 participating countries in the Mutation Breeding Regional Cooperative Agreement: Australia, Bangladesh, Cambodia, China, Fiji, India, Indonesia, Japan, Laos, Malaysia, Mongolia, Myanmar, Nepal, New Zealand, Pakistan, Palau, Philippines, Singapore, the Republic of Korea, Sri Lanka, Thailand, and Viet Nam. Their support and willingness to take part made this impact assessment possible.

This report was prepared by the RCA evaluation experts, including Julian King (Australia-New Zealand), Kate McKegg (New Zealand), Andres Arau (Spain), Aaron Schiff (New Zealand) and Martina Garcia Aisa (Spain). Contact: For inquiries about the IAEA: Official.Mail@iaea.org www.iaea.org. For inquiries about RCA: rcaro@rcaro.org

COPYRIGHT NOTICE: All IAEA scientific and technical publications are protected by the terms of the Universal Copyright Convention as adopted in 1952 (Berne) and as revised in 1972 (Paris). The copyright has since been extended by the World Intellectual Property Organization (Geneva) to include electronic and virtual intellectual property. Permission to use whole or parts of texts contained in IAEA publications in printed or electronic form must be obtained and is usually subject to royalty agreements.

For further information on this report, please contact: Division of Asia and the Pacific, Department of Technical Cooperation, International Atomic Energy Agency Vienna International Centre PO Box 100 1400 Vienna, Austria email: Official.Mail@iaea.org ©IAEA, 2020.

Printed by the IAEA in Austria, November 2020.


Contents

Executive Summary	1	Annex D: Mutation Breeding of Rice in Viet Nam under RCA – case example ...	18
Introduction	3	Background	18
Mutation breeding in crops	3	Production and Commercialization	18
Social and economic impact assessment methods	4	Economic, Social and Environmental Effects	18
Social and economic impacts	5	RCA Contribution	19
Crop varieties developed through mutation breeding projects under the RCA.....	5	Annex E: Survey Analysis.....	20
Increased food production.....	6	Introduction	20
Enhanced environmental protection	7	Criterion 1: Increased food production	21
Strengthened regional capacity and capability	8	Mutant lines and mutant varieties developed under RCA since 2000.....	21
Economic impacts.....	9	Qualitative case from Malaysia:.....	21
Conclusion	10	Productivity.....	23
Annex A: Mutation Breeding of Wheat in China under RCA – case example	11	Cumulative growing area	24
Background	11	Quality traits	26
Production and Commercialization	11	Criterion 2: Enhanced environmental protection.....	27
Economic, Social and Environmental Effects	11	Enhanced environmental protection.....	27
RCA Contribution	12	Reduction in pesticide use	28
Annex B: Mutation Breeding of Groundnut in India under RCA – case example	13	Qualitative case from Philippines	28
Background	13	Reduction in chemical fertilizer use.....	29
Production and Commercialization	13	Increase in water efficiency	30
Economic, Social, and Environmental Effects	13	Increase in soil fertility	31
RCA Contribution	14	Qualitative case from Indonesia	31
Annex C: Mutation Breeding of Sorghum in Indonesia under RCA – case example ...	15	Criterion 3: Strengthened regional capacity and sustainability	32
Background	15	National team and facilities for mutation breeding	32
Production and Commercialization	15	Training in mutation breeding and associated techniques	33
Economic, Social, and Environmental Effects	16	Qualitative responses from Mongolia, Thailand, Sri Lanka and India	34
RCA Contribution	17	Expert missions and workshops	35
		Qualitative responses from Laos and Pakistan	35

Publications in mutation breeding	36
Networking, collaboration and knowledge transfer	37
Annex F: Economic Analysis.....	41
Summary points	41
Overview.....	41
Cost-benefit methodology	41
High-level effects of participating in the RCA on development of mutant varieties.....	42
Mutant varieties included in the cost-benefit analysis	42
Modelling economic benefits of the RCA.....	44
Modelling economic costs of the RCA.....	49
Net present value and break-even calculations	53
Summary of assumptions in the economic analysis.....	54
Cost-benefit analysis results	55
Annex G: Methodology.....	58
Evaluating impact in complex environments ..	58
Developing the methodology	58
Piloting the methodology	59
Works cited	65

Tables

Table 1: Key evidence for criterion 1	21
Table 2: Number of mutant lines and mutant varieties developed under the mutant breeding RCA programme since 2000 (by country)	22
Table 3: Cumulative growing area and productivity of mutant crops (sorted by growing area).....	25
Table 4: Key evidence for criterion 2	27
Table 5: Key evidence for criterion 3	32
Table 6: Year in which mutation breeding started at the national level, human resources, and facilities by country	32
Table 7: Mutant lines and mutant varieties developed (by country and crop)	39
Table 8: Crops with mutant varieties included in the economic analysis	43
Table 9: Summary of assumed benefits of mutant varieties attributed to the RCA.....	45
Table 10: Economic characteristics of crops used to estimate economic benefits of the RCA	46
Table 11: Costs incurred by the IAEA associated with RCA mutation breeding activities	50
Table 12: Opportunity cost of time assumptions for RCA member countries	52
Table 13: Summary of scenarios for key cost-benefit parameters	54
Table 14: Estimated economic benefits and costs attributable to the RCA for baseline parameter values	56
Table 15: Rubric (criteria and standards) for RCA mutation breeding projects	62



Figures

Figure 1: Mutant varieties developed under the RCA since 2000, by crop	5
Figure 2: Number of quality traits improved by mutant varieties	7
Figure 3: Map of the 22 countries that participate in mutation breeding projects under the RCA programme	20
Figure 4: Mutant lines and mutant varieties developed by crop	22
Figure 5: Total mutant varieties developed by crop.....	23
Figure 6: Average change in yield productivity (tonnes per hectare): mutant vs control	24
Figure 7: Total accumulated growing area of mutant crops since 2000 by country	25
Figure 8: Number of quality traits improved by mutant varieties	26
Figure 9: Proportion of responses reporting improvement in quality traits of mutant varieties	26
Figure 10: Proportion of responses reporting crops enhancing environmental protection	27
Figure 11: Reduction in the use of pesticide compared to control groups.....	28
Figure 12: Reduction in the use of chemical fertilizer compared to control crops.....	29
Figure 13: Increase in water efficiency compared to control crops.....	30
Figure 14: Increase in soil fertility compared to control crops.....	31
Figure 15: People trained in regional training courses under RCA by country	33
Figure 16: Number of experts that had joint missions to other countries under RCA	35
Figure 17: Number of publications since 2000 under RCA.....	36
Figure 18: Number of countries that have shared knowledge or services with other countries under RCA	37
Figure 19: Number of institutions and donors that have cooperated for mutation breeding by country	38
Figure 20: Assumed annual growing area of mutant varieties between 2000 and 2019	48
Figure 21: Estimated (undiscounted) benefits of mutant varieties relative to control varieties between 2000 and 2019	49
Figure 22: Annual number of mutation breeding activities facilitated by the IAEA.....	50
Figure 23: Annual number of people from RCA mutation breeding member countries who attended RCA mutation breeding activities organized by the IAEA.....	51
Figure 24: Sensitivity of NPV estimates to changes in key parameters	57
Figure 25: Theory of change for RCA mutation breeding projects	61



Executive Summary

The Regional Cooperative Agreement (RCA) for Research, Development and Training related to Nuclear Science and Technology for Asia and the Pacific will celebrate its 50th Anniversary in 2022. This report assesses the social and economic impact of plant mutation breeding projects under the RCA, focusing on adding value rather than the primary research undertaken by individual countries independently.

Mutation breeding in crops involves exposing seeds, cuttings or tissue-culture material to radiation, such as gamma rays, and then planting the seed or cultivating the irradiated material to grow seedlings. Plant populations are then multiplied and examined for new and useful traits – such as increased crop yields, improved nutritional quality and reduced need for pesticides, fertilizers and irrigation.

This impact assessment was designed and undertaken by a team of independent experts, in consultation with the International Atomic Energy Agency (IAEA) and RCA stakeholders.¹ It involved collecting evidence through an online questionnaire completed by 19 of the 22 participating State Parties, analysis of IAEA project data, gathering information from mutation breeding experts at the IAEA and State Parties, narrative success cases of mutation breeding from four State Parties, and economic analysis of costs and benefits of mutation breeding research under the RCA.

The assessment found that the RCA has supported a significant body of research, including over 7300 promising breeding lines with superior quality traits to previous crops, and 254 mutant varieties of crops certified and officially released. Key outcomes of this research includes increased food production, enhanced

environmental protection, strengthened regional capacity and capability, and economic impacts. New mutant varieties have:

- Greater yield productivity, with a 32.7 per cent increase in total production over their respective control crops.
- Increased food supply, adding an extra 34.8 million tonnes of produce from 2000 to 2019.
- Reduced use of agricultural inputs by 21 per cent for chemical fertilizer, 17 per cent for pesticides, 12 per cent for irrigated water, and increased soil fertility by eight per cent (weighted averages by crop volumes from 2000 to 2019).
- Higher market prices due to improved nutritional and environmental quality traits.

This impact is not solely attributable to the RCA, but it did contribute significantly to the speed with which new varieties were developed and commercialized. In some cases, the RCA enabled mutant varieties to be developed that would otherwise not have been. The RCA supported the strengthening of national and regional capacities in mutation breeding research through networking and collaboration between Government authorities and stakeholders, regional use of infrastructure, increased knowledge transfer between State Parties and growing a critical mass of highly skilled researchers in the region. Feedback from many countries highlighted RCA's importance for building the skills and capacity of their mutation breeding teams.

Cost-benefit analysis estimated that the RCA created significantly more economic value than it consumed. For each €1 of costs incurred between 2000 and 2019 yielded €11.1 in economic benefits. Sensitivity analysis

¹ The project was commissioned by the IAEA Technical Cooperation Division for Asia-Pacific (TCAP) and TC Division of Programme Support and Coordination (TCPC). Invited experts from the RCA programme from China, Indonesia and Viet Nam provided advice and support.

found that the net benefits attributable to the RCA remained positive under alternative assumptions about benefits and costs, with a likely range of benefits between €5.8 and €15.9 for each euro of costs. This suggests it is highly likely that the economic benefits of the RCA exceeded its costs.²

Pre-defined performance criteria were agreed with the IAEA and State Party experts to provide an evaluative framework for the

impact assessment (Table 16, Annex G). On the basis of evidence provided by the IAEA and State Parties, the RCA's impact meets standards for excellent performance on increased food production, good performance on enhanced environmental protection, excellent performance on strengthened regional capacity and sustainability, and excellent performance on economic value.

² These results for the period 2000-2019 should not be used to make decisions about the future of the RCA or to decide whether the scale of the RCA should be increased or decreased.



Introduction

The International Atomic Energy Agency (IAEA) is the world's central intergovernmental forum for scientific and technical co-operation in the nuclear field. Established in 1957, and headquartered in Vienna, Austria, the IAEA works for the safe, secure and peaceful uses of nuclear science and technology, contributing to international peace and security and the United Nations (UN) Sustainable Development Goals (SDGs). The IAEA works in close partnership with Member States, UN agencies, research organizations and civil society to maximize the contribution of nuclear science and technology to the achievement of development priorities ("Atoms for Peace and Development").

The Regional Cooperative Agreement (RCA) for Research, Development and Training Related to Nuclear Science and Technology for Asia and the Pacific was established in 1972 and has enjoyed the benefits of the IAEA's Technical Cooperation (TC) programme since. With the RCA due to celebrate its 50th Anniversary in 2022, it is a good opportunity to assess the social and economic impact of the RCA programme supported under the TC programme.

The RCA has 22 participating State Parties: Australia, Bangladesh, Cambodia, China, Fiji, India, Indonesia, Japan, Laos, Malaysia, Mongolia, Myanmar, Nepal, New Zealand, Pakistan, Palau, Philippines, Singapore, the Republic of Korea, Sri Lanka, Thailand, and Viet Nam.

At the 48th RCA General Conference Meeting in Vienna, Austria on 13 September 2019, the RCA endorsed the initiative to conduct a social and economic impact assessment. To this end, the IAEA TC Divisions for Asia and the Pacific, and for Programme Support and Coordination jointly proposed to undertake case studies. A methodology was developed and piloted to assess the social and economic impact of RCA mutation breeding projects. This report presents the findings from the assessment.

Mutation breeding in crops

Mutation breeding in crops is the process of exposing seeds, cuttings or tissue-culture material to radiation, such as gamma rays, and then planting the seed or cultivating the irradiated material in a sterile rooting medium, which generates a plantlet. The individual plants are then multiplied and examined for new and useful traits. Once the genetic changes giving rise to new traits have been identified, other biotechnological tools can be used to accelerate breeding new varieties with desired traits. Mutation breeding in crops does not involve gene modification, but rather uses a plant's own genetic resources and mimics the natural process of spontaneous mutation. By using radiation, plant breeders can significantly enhance the genetic diversity necessary to develop new and improved varieties.

The overall objective of the RCA Mutation Breeding programme is to increase environmentally friendly crop productivity through the application of mutation techniques and related biotechnology, and enhanced capability of the RCA State Parties in effective use of mutation techniques and biotechnology for the development of green crop varieties.

Characteristics of green crop varieties include:

- Minimized utilization of pesticide due to disease resistance
- Reduced application of inorganic fertilizer(s) due to highly efficient nutrition uptake
- Reduced use of irrigation due to drought tolerance
- Superior quality
- Increased crop yields.

Social and economic impact assessment methods

The social and economic impact assessment methodology was developed specifically for the IAEA, in order to conduct impact assessments for case studies of Technical Cooperation projects under the RCA. The methodology follows the *Value for Investment* approach (King, 2017; King, 2019; King and OPM, 2018) and the Kinnect Group approach to evaluation rubrics (King et al., 2013; McKegg et al., 2018) – combining evidence from quantitative, qualitative and economic analysis, through the lens of an agreed performance framework, to evaluate the impact of mutation breeding projects under the RCA.

The social and economic impact of the mutation breeding projects are diverse and include contributions to:

- Increased food availability, diversity and accessibility
- More nutritious food supply
- Increased incomes for farmers
- Reduced use of agricultural inputs
- Reduced environmental pollution
- Enhanced national capacities and capabilities in mutation breeding research, leveraged through regional collaboration
- Positive benefits for women and girls.

Some of these impacts can be evaluated using cost-benefit analysis. For example, increased farmers' incomes and reduced use of agricultural inputs have a monetary value that is relatively simple to estimate. However, economic benefits are difficult to measure

when mutant varieties are under development and have not yet entered into commercial production. Some new mutant varieties of crops have improved quality traits which have not yet translated into economic benefits. Moreover, some impacts, such as reduced environmental pollution, can be difficult to translate into monetary values. More complex still, impact such as enhanced national capability and benefits for women and girls may be best understood by examining a range of evidence including 'hard' and 'soft' measures.

Accordingly, the mutation breeding case study uses a mix of methods, including:

- An online questionnaire deployed to all countries in the RCA and completed by 19 of the 22 State Parties
- Analysis of project data on mutation breeding activity and costs, provided by the IAEA
- Gathering additional information from mutation breeding experts at the IAEA and State Parties
- Narrative case examples, written from details provided by four countries on a selection of 'success cases' of mutation breeding
- Economic analysis of costs and benefits of mutation breeding research under the RCA.

To combine the quantitative, qualitative and economic analyses, evaluation rubrics were developed. Rubrics, comprising a matrix of agreed criteria (aspects of performance) and standards (levels of performance) provided a transparent and robust framework for rating the social and economic impact of the mutation breeding projects under the RCA from the mix of evidence. Annex G provides the full details of the methodology.


Social and economic impacts

Since 1972, the RCA has supported participating State Parties in the Asia and the Pacific region to undertake a considerable body of mutation breeding research. The following summary focuses on the most recent two decades, since the year 2000. It focuses on the value added by the RCA, over and above the primary research that may be undertaken by individual countries independently.

Key impacts of the mutation breeding projects under the RCA include contributions to increased food production, enhanced environmental protection, strengthened regional capacity and capability, and economic impacts. These impacts are summarized as follows.³

Crop varieties developed through mutation breeding projects under the RCA

The RCA has supported a significant body of primary research. Since 2000, **7316 mutant lines** (breeding lines with the intended target traits) and **254 mutant varieties** (certified and officially released) have been developed in the participating countries. These new mutant varieties span 12 different crops, with rice, wheat and soybean being the crops with the highest number of new mutant varieties (Figure 1).



Source: IAEA's online survey, 2020

Figure 1: Mutant varieties developed under the RCA since 2000, by crop

³ For additional detail on these impacts, refer to Annexes A-D (case examples: wheat in China, groundnut in India, sorghum in Indonesia, rice in Viet Nam), Annex E (survey results) and Annex F (economic analysis).

This level of research output is not solely attributable to the RCA, but the participating countries found that the RCA has made a significant contribution to the quantity, quality and pace of research. Based on information provided by experts in mutation breeding, the RCA enabled mutant varieties to be developed more quickly than they could otherwise have been developed (reported by 10 countries) and enabled mutant varieties to be developed that would otherwise not have been done (reported by five countries).⁴

In Viet Nam, for example, cooperation under the RCA had several positive effects on the mutation breeding of rice, through improving the technology available for rice breeding which led to the introduction of new breeding techniques. Other positive contributions of RCA collaboration included improving the training of breeders and helping to increase awareness of rice mutation breeding among policymakers and breeders of other crops.

In some cases, the research would not have been possible without the RCA. For example, Malaysia developed 16 mutant lines and two mutant rice varieties through the RCA programme.

Increased food production

The new mutant varieties, when adopted by farmers, produce greater crop yield, growing area and quality. Through these effects, the mutation breeding projects under the RCA contribute to increased food availability, diversity and accessibility, as well as increased incomes for farmers. These impacts contribute toward Sustainable Development Goals SDG 2 (Zero Hunger) and SDG 3 (Good Health and Wellbeing).

New mutant varieties have a greater yield productivity (tonnage of produce harvested per hectare) than their control crops. The new mutant varieties showed **32.7 per cent** greater productivity overall than their controls, with the largest increases (50 per cent or more) being for sorghum, groundnut, blackgram and chickpea.


One example of the impact of increased yield productivity can be seen with Luyuan 502 in China. This wheat variety has been certified to have a grain yield that is 10.6 per cent higher than the national control variety as well as being more tolerant to drought and key common diseases. For these reasons, between 2012 and 2018, the variety was planted on a total of 5.13 million hectares, becoming the second-most widely used wheat variety in China, increasing productivity by 3.89 million tonnes and generating an additional income of around €1.31 billion farmers.

The total cumulative growing area for the mutant crops is at least **39 million hectares** since 2000 – an area larger than Germany.⁵ Taking into account the increased yield productivity and total cumulative growing area, the new mutant varieties under the RCA have collectively added an extra **34.8 million tonnes** of produce from 2000 to 2019.

Additionally, the mutant varieties have improved quality traits such as gluten-free, grain size, shape and colour, milling quality, eating quality, and mineral, oil and seed protein content. These quality traits collectively improve the nutritional value and market prices of crops. Ten crops have improved at least one quality trait through mutation breeding under the RCA and some have improved multiple traits (Figure 2).

⁴ The remaining seven countries contributed knowledge, expertise and infrastructure to the RCA, but the collaboration did not impact on their own mutation breeding research.

⁵ Cumulative growing area is the growing area each year x number of years. For example, 10 hectares for 10 years is a cumulative growing area of 100 hectares.



Source: IAEA's online survey, 2020

Figure 2: Number of quality traits improved by mutant varieties

Market prices paid for produce from these new mutant varieties indicates there is demand for these varieties. The median price of mutant varieties was **5 per cent higher** than control variety prices.

The case of sorghum in Indonesia provides a good example of the uptake of new mutant varieties. Three varieties have been commercialized since sorghum became part of the RCA mutation breeding programme. As a country where the main staple food is rice and the population were not familiar with sorghum, commercialization focused on highlighting the added nutritional value of the crop. Sorghum grains are high in fibre, iron, protein, calcium and useful polyphenols (micronutrients), but low in fat and cholesterol. Furthermore, sorghum is gluten-free and has

a low glycaemic index. Eventually, sorghum became widely accepted in Indonesia. Sorghum products are now available in supermarkets, restaurants and bakeries and are widely regarded as nutritious and tasty. Sorghum is showing significant potential for increasing Indonesia's food security, improving farmers' incomes and supporting more sustainable agricultural practice.

Enhanced environmental protection

The new mutant varieties contribute to reducing the environmental footprint of agriculture by lowering the use of agricultural inputs (including pesticide, fertilizer and water) and by increasing soil fertility. These environmental impacts contribute to SDG 13 (Climate Action) and SDG 6 (Clean Water and Sanitation).

All of the 12 crops for which new mutant varieties were developed contribute to at least one environmental protection trait. On average, the mutant varieties overall reduce the use of:

- Chemical fertilizer by **21 per cent** for rice, sorghum, soybean and wheat.
- Pesticides by **17 per cent** for banana, barley, rice, sorghum, soybean, tomato and wheat.
- Water by **12 per cent** for rice, sorghum, soybean and wheat.⁶

In the Philippines, for example, mutant banana and rice varieties have such effective resistance to pests and diseases that little or no pesticide is necessary. Some banana growers are using no pesticide at all while others are using insecticide and fungicide for post-tissue culture protection of plantlets being established in the nursery before planting out in the field. For rice, the Department of Agriculture is promoting organic agriculture and encouraging growers to minimize the use of pesticides. Instead, integrated pest management is promoted with pesticide used as the last resort.

Additionally, six mutant varieties (bean, chickpea, mungbean, rice, sorghum and soybean) increased soil fertility in comparison to control crops, by an average **eight per cent**.

Strengthened regional capacity and capability

Regional collaboration through the RCA supports enhanced national and regional capacity in mutation breeding research, contributing to SDG 17 (Partnerships for the Goals). In particular, the RCA supports:

- Networking and collaboration between countries and stakeholders


- Regional use of infrastructure
- Increased knowledge transfer between State Parties
- Growing a critical mass of highly skilled researchers in the region.

Since 2000, highlights of the collaboration under the RCA include:

- Training **470** individuals (including **108** women) in **19** countries, through national and regional training courses
- **26** expert missions where experts from six countries (China, Australia, Philippines, Pakistan, Myanmar and India) provided experts to share knowledge with other countries in the RCA
- **23** meetings and workshops for **453** senior members in mutation breeding research teams, contributing to knowledge sharing and human resource development across the region
- **13** countries providing mutation breeding services and knowledge to other RCA countries through other methods, data, events, funding, infrastructure, jobs, projects, publications, research, skills sharing and tools
- **1801** publications of which over half were scientific papers
- **353** companies and institutions cooperated with partner countries in the dissemination of mutant varieties
- **85** donors provided funding towards mutation breeding research.

Feedback from the countries highlighted the importance of the RCA for building the skills and capacity of their mutation breeding teams, as detailed in case examples and survey results.

⁶ Weighted averages by total crop volumes between 2000-2019.



In India, for example, the knowledge and experience gained under the RCA programme has been incorporated in the pre-existing national mutation breeding research on the groundnut, particularly for biotic and abiotic stress tolerance. Additionally, since groundnut research became part of the RCA, national scientists have benefited from ground-breaking knowledge sharing and capacity building events. Indeed, the RCA has provided exposure to innovative mutation research areas such as identification of molecular markers, linkage of markers to traits of interest, marker assisted breeding, Quantitative Trait Locus mapping, molecular and nutrient analysis, and new screening techniques for biotic and abiotic stress tolerance, among others. The RCA has also provided training on specific statistical software packages.

Economic impacts

A social cost-benefit analysis was conducted to estimate the economic impact generated by the RCA. The analysis estimated the incremental (additional) costs and benefits that are attributable to RCA collaboration in mutation breeding – i.e. it did not estimate the benefits and costs of mutation breeding activities as a whole but rather the benefits and costs associated with collaboration under the RCA, compared to a hypothetical situation with no RCA.

The analysis used data from the survey, together with administrative and cost data provided by the IAEA. It estimated the costs and benefits that occurred between 2000 to 2019, as well as projections of future benefits from 2020 onwards that are associated with ongoing production of mutant varieties of crops that were developed under the RCA between 2000-2019. Costs and benefits were analysed as annual time series and adjusted

for timing, using discounting to convert values occurring at different points in time into present values. Two different discount rates were used, depending on whether benefits and costs occurred in the past (between 2000 and 2019) or in the future (2020 onwards).

Benefits represent the RCA's contribution to economic value through mutation breeding in crops. The main way that the RCA generated economic benefits was by speeding up the mutation breeding process from variety selection to production and commercialization of successful mutant varieties. The RCA also helped several countries to develop mutant varieties that they would not otherwise have developed in the absence of the RCA, but these crops are recently commercialized so the associated economic benefits to date are relatively small. Survey data revealed a total of 20 crops where the RCA contributed in one of these two ways. These crops had various superior characteristics (compared to a non-mutant control variety) that generated economic benefits through some or all of:

- Increased crop yield.
- Increased market price.
- Changes in costs of production associated with use of chemical fertilizers and pesticides.

Costs represent the opportunity costs arising from committing IAEA and Government resources to RCA-related activities. They include costs of conducting RCA mutation breeding training courses, workshops, expert meetings and other activities, costs associated with developing additional mutant varieties of crops (where attributable to the RCA) and overhead costs.

Results of the analysis indicate that the RCA delivered excellent economic outcomes, with estimated benefits significantly exceeding estimated costs. In the baseline scenario, the RCA generated **€15.8m of net economic benefits** (valued in euros for 2020, including €1.6m costs and €17.3m benefits). As is

often the case in cost-benefit analysis, some important parameters required modelling assumptions to be developed, in consultation with mutation breeding experts. To understand the implications of uncertainty in these modelling assumptions, sensitivity analysis was conducted that involved testing how the estimates of benefits and costs varied under alternative assumptions. Sensitivity analysis revealed that under a range of alternative assumptions, **net benefits could be between €7.5m and €23.2m**. It is considered for this report, that it is likely that the net benefits of the RCA remain positive under almost all plausible assumptions about benefits and costs.

This implies that, historically, **each €1 of cost was associated with €11.1 in economic benefits on average with a range from €5.8 under the most pessimistic scenario that it was considered to €15.9 under the most optimistic scenario considered for the report**.

The estimates of costs and benefits are largely retrospective and are based on actual outcomes under the RCA between 2000 and 2019. These results should not be used to make decisions about the future of the RCA, or to decide whether the scale of the RCA should be increased or decreased. Full details of the cost-benefit analysis are provided in Annex F.

Conclusion

The RCA has supported a significant body of mutation breeding research, contributing to the speed with which these mutant varieties have been developed, distributed for production and commercialized and, in some cases, enabling mutant varieties to be developed that would not otherwise have been developed. This research has brought positive impacts including increases in yield productivity and food supply, reduced use of agricultural inputs and increased market prices for produce.

Cost-benefit analysis estimated that the RCA created significantly more economic value than it consumed between 2000 and 2019, with each €1 of cost incurred between 2000 and 2019 associated with €11.1 in economic benefits on average.

Pre-defined performance criteria were agreed with the IAEA and State Party experts to provide an evaluative framework for the impact assessment (Table 16, Annex G). Evidence of RCA's impact provided by the IAEA and State Parties suggests that the RCA meets standards of:

- **Excellent** performance for **increased food production**, with new varieties of crops contributing to a 32.7 per cent increase in overall productivity and improving multiple quality traits.
- **Good** performance for **enhanced environmental protection**, with substantial reductions in the use of agricultural inputs (meeting thresholds for excellent for pesticide use and good for fertilizer and water use).
- **Excellent** performance for **strengthened regional capacity and sustainability** through networking and collaboration between countries and stakeholders, regional use of infrastructure, increased knowledge transfer between State Parties and growing a critical mass of highly skilled researchers in the region.
- **Excellent** performance for **economic value**, with cost-benefit analysis, suggesting with a high level of certainty that the net benefits of the RCA were positive under almost all plausible assumptions about benefits and costs.

Overall, when assessed against the agreed performance framework, the RCA's contribution to mutation breeding projects demonstrates an excellent level of social and economic impact.



Annex A: Mutation Breeding of Wheat in China under RCA – case example

Background

China started its mutation breeding programme in 1957, and as one of the most important staple food crops, wheat was included into the research programme. Nevertheless, it was not until 2002 that wheat became part of the mutation breeding programme under the Regional Cooperative Agreement for Research, Development and Training Related to Nuclear Science and Technology for Asia and the Pacific (RCA).

Since 2002, wheat mutation breeding research under the RCA has led to the identification of more than 5000 advanced mutant lines and the development of 42 mutant varieties in the country.⁷ One of the mutant varieties, Luyuan 502, is currently the second most widely used wheat mutant variety in the country.

In the last twenty years, research undertaken under the RCA has resulted in a considerable increase in the commercialization of wheat in the country. Prior to the 2000s, there was barely any commercialization of wheat; farmers used to keep the seeds for themselves and sow them for their next harvest. Furthermore, mutant varieties of wheat have yields that is, on average, 30 per cent higher than from the varieties where they originated. This higher yield has been a contributing factor for the overall increase experienced by wheat productivity over the last two decades: from 3.78 tonnes per hectare in 2000 to almost six tonnes per hectare in 2019.

Production and Commercialization

The main institution responsible for the use of nuclear techniques for the production and commercialization of agriculture crops is the Chinese Academy of Agricultural Sciences (CAAS). Other provincial academies of agricultural sciences such as the Shandong or Heilongjiang Academy of Agricultural Sciences (SAAS and HAAS, respectively) also play an important role.

Economic, Social and Environmental Effects

With 19 per cent of the world's population but only seven per cent of arable land, food security lies at the core of China's socioeconomic policymaking. Given this context, research on mutation breeding in wheat has focused on the improvement of agronomic traits of the new crop varieties. Mutant varieties of wheat have proven to be more tolerant to drought, lodging and salt, as well as less prone to diseases, suggesting that they have large potential for environmentally sustainable increases in crop productivity and promoting economic growth among farmers.

A prominent example is Luyuan 502, which is the second most widely used wheat mutant variety in China in 2018. This variety was developed and nationally released by CAAS and SAAS in 2011 through space mutagenesis (genetic mutation) and cross breeding. It has

⁷ The most well-known mutant varieties of wheat are currently Luyuan 502, Hangmai 247, Yangfumai 4, Taikong 5, and Taikong 6, among others.



Luyuan 502.

been certified to have a grain yield advantage of 10.6 per cent higher than the national control variety and also has higher drought tolerant capacity and tolerance to other key diseases. Between 2012 and 2018, this variety was planted on a total of 5.13 million hectares, increasing productivity by 3.89 million tonnes and generating an additional income of about US\$1.31 billion to farmers.

In addition, this mutant variety of wheat also has several environmental benefits including having high levels of tolerance to drought, making it water efficient. It is also resistant to major diseases, hence requires less fertilizer and pesticide use. It has been estimated that use of fertilizer and pesticides can be significantly reduced in wheat production by as much as 15 and 30 per cent, respectively.

RCA Contribution

Since 2002, the RCA mutation breeding programme has been supporting capacity building for the country's wheat mutation breeding programme. National researchers have had the opportunity to take part in regional training courses, as well as other knowledge-exchange events. The key training area that the RCA has contributed to is the wide and effective application of induced mutations and, in particular, the use of new mutagenesis technology. Junior scientists have especially benefited from these training and knowledge-exchange opportunities. Consequently, the number of young researchers working on wheat mutation breeding has increased considerably in the last two decades to 50.

The number of scientific articles on wheat mutation breeding under the IAEA-RCA projects has also increased considerably, mainly due to the engagement with the Asia and Oceania Association of Plant Mutagenesis (AOAPM).



Annex B: Mutation Breeding of Groundnut in India under RCA – case example

Background

India started its mutation breeding programme in 1960, and as one of the most important oilseed crops, groundnut was included into the research programme. In 1972, India became part of the mutation breeding programme under the Regional Cooperative Agreement for Research, Development and Training Related to Nuclear Science and Technology for Asia and the Pacific (RCA). Nevertheless, it was not until 2000 that groundnut was included into the RCA mutation breeding programme.

Groundnut and other oilseed crops have been at the core of national mutation breeding programmes since the beginning, as they are key food components in India and a large proportion of the population rely on them as a source of dietary oils and proteins. It is estimated that oilseeds constitute about 12 per cent of the total food grain production in the country, and national groundnut production accounts for almost a sixth of the total world production. The main objective of mutation breeding in groundnut, which was initiated at the Bhabha Atomic Research Centre (BARC) in Mumbai, was to generate variability in characters contributing to economic yield.

To date, 15 mutant varieties of groundnut have been successfully developed by several public institutions. Seven of these varieties were developed by BARC. Mutation breeding of groundnut has resulted in a number of high-yielding, stress-tolerant varieties, with improved oil content.

Production and Commercialization

Over 20 public institutions are currently engaged in the production and commercialization of groundnut varieties. Some of the most important institutions are

BARC, the Indian Council of Agricultural Research, state agricultural universities and departments, and national and state seed corporations, among others.

Production and commercialization of successful varieties of groundnut follows the same process designed by the Government of India. The process consists of seven different phases: i) induction of mutant or hybridization of desirable parent(s), ii) selection and stabilization of desirable mutants or recombinants, iii) evaluation at the institutional level to confirm improved traits, iv) evaluation at state or national breeding trials to establish superiority over the existing varieties by testing across locations and seasons, v) large-scale evaluation at adaptive trials on farmers' fields, vi) recommendation by the scientific committee for a given agroclimatic region and season, and vii) release and notification of the new variety for commercial cultivation by the Government of India.

Economic, Social, and Environmental Effects

Mutant varieties of groundnut have proven to bring a series of economic advantages compared with the traditional varieties, even though they are not a major share of the production and commercialization of groundnut in the country.

Mutant varieties of groundnut have proven to have a yield that is, on average, 50 per cent higher than from the varieties where they originated: three tonnes per hectare for mutant varieties, compared with two tonnes per hectare for non-mutant varieties. This increased productivity is likely to raise farmers' income by 10 to 20 per cent. It has been demonstrated that by cultivating these mutant varieties, the groundnut productivity



Farmer's field view of Trombay groundnut variety, TG 39.

in major groundnut states like Gujarat, Andhra Pradesh, Maharashtra, Karnataka, Orissa and Rajasthan has been almost doubled, and hundreds of farmers significantly improved their net profit up to US\$1200 per hectare.⁸

Some mutant varieties of groundnut also have a shorter maturity period. For example, the release of the large seed mutant variety TPG-41 benefited many farmers, traders, and exporters by virtue of its earliness, moderate seed dormancy and superior productivity. Some other mutant varieties of groundnut also have environmental benefits, since they are more drought tolerant and therefore water efficient. For example, the drought tolerant variety TG 37A has rekindled groundnut cultivation in desert areas of Rajasthan state.

RCA Contribution

The knowledge and experience gained under the RCA programme have been incorporated in the pre-existing national mutation breeding research on groundnut, particularly for biotic and abiotic stress tolerance.

Additionally, since groundnut research became part of the RCA, national scientists have benefited from ground-breaking knowledge-sharing and capacity building events. Indeed, RCA has provided exposure to innovative mutation research areas such as: identification of molecular markers, linkage of markers to traits of interest, marker assisted breeding, Quantitative Trait Locus mapping, molecular and nutrient analysis, and new screening techniques for biotic and abiotic stress tolerance, among others. RCA has also provided training on specific statistical software packages.



Farm woman with harvest of Trombay groundnut variety, TG 51.

⁸ Souza, S.F.D et al (2009) Mutation breeding in oilseeds and grain legumes in India: accomplishments and socio-economic impact. Available at www.fao.org/3/i0956e/i0956e02.pdf

Annex C: Mutation Breeding of Sorghum in Indonesia under RCA – case example

Background

The Regional Cooperative Agreement for Research, Development and Training related to Nuclear Science and Technology for Asia and the Pacific (RCA) was first established in 1972 with six participating countries, including Indonesia.⁹ In that same year Indonesia began its mutation breeding programme, although it did not include sorghum at the time.

Twenty years later, Indonesia's National Nuclear Energy Agency (BATAN) began its sorghum research as part of the mutation breeding programme. The main objectives were to improve the quality and productivity of the grain. At the time, traditional sorghum varieties (Keris, Mandau, Sangkur, among others) were mainly grown by small-scale farmers and used as animal feed. Although it was never a major crop, its ability to grow well in poor soils of drought-prone areas made the crop particularly appealing for subsistent farmers.

In 2005, sorghum became part of the RCA mutation breeding programme.¹⁰ Sorghum research has focused on three different types of sorghum: i) grain sorghum, where the grain is used for food, ii) forage sorghum, where the grain and biomass are used for animal feed, and iii) sweet sorghum, where the stem juice is used for producing liquid sugar and/or further processed for the production of bioethanol (as bioenergy).

Since 2005, sorghum selection and screening work has led to the identification of 15 promising advanced mutant lines to be included in multi locations trials. Three sorghum mutant varieties have since been developed: Pahat, Samurai-1 and Samurai-2. The first mutant variety was released by the



IAEA-RCA training course on sorghum mutation breeding at BATAN, Indonesia.

Ministry of Agriculture in 2013, while the other two were released in 2014. Commercialization of these varieties began in 2017.¹¹

This work has resulted in sorghum becoming widely accepted in Indonesia. While it had initially very limited acceptance by farmers and consumers or market presence, sorghum is now no longer regarded a minor crop. Sorghum products are now available in supermarkets, restaurants and bakeries in the country, and in general widely accepted as being nutritious and tasty. Sorghum is now showing significant potential for increasing Indonesia's food security, improving farmer incomes as well as supporting more sustainable agricultural practice.

Production and Commercialization

Sorghum seeds are supplied by BATAN to commercial producers in Indonesia, and these are commercially produced, labelled, and distributed to farmers. Once harvested, farmers sell sorghum grains back to the company, and these grains are used to generate commercial sorghum products such as sorghum sugar, sorghum nectar, brown and white sorghum rice, and sorghum cookies, among others.

⁹ The other five countries were India, the Philippines, Singapore, Thailand, and Viet Nam.

¹⁰ The first project under the IAEA/RCA was RAS5040. Since then, sorghum has been included in the subsequent IAEA/RCA projects, namely: RAS5045, RAS5056, RAS5070 and RAS5077.

¹¹ PT Sedana Panen Sejahtera was the first company responsible for commercialising Sorghum.



Some commercial sorghum products sold in Indonesia.

Economic, Social, and Environmental Effects

In a country where the main staple food is rice and the population had not been familiar with this new crop, commercialization of sorghum focused on highlighting the added nutritional value of the crop. Sorghum grains are high in fibre, iron, protein, calcium, and useful polyphenols (micronutrients), but low in fat and cholesterol. Furthermore, sorghum is gluten free and has a low glycaemic index, so it is particularly suitable for people suffering from diabetes and related diseases.



Indonesian traditional food 'Tumpeng' made from sorghum grains.

Apart from its nutritional value, the mutant varieties of sorghum have proven to be early maturing, high yielding, and drought tolerant, making them ideal for dry-season cultivation. This means that they have a large potential to increase marginal land productivity and promote economic growth, particularly in those drought prone areas where arable lands are fallow and cannot grow other types of food crops (such as those mostly found in the eastern part of Indonesia). Indeed, sorghum mutant varieties have been certified by the Ministry of Agriculture to have a grain yield around 50 per cent larger than the non-mutant varieties. This characteristic, together with the possibility of growing and selling sorghum during the dry season, has the potential to lead to an average increase in farmers' income of between 20 and 30 per cent.

In addition to their potential for boosting economic development due to their agronomic traits, these new varieties of sorghum hold promise for supporting the country's efforts to reduce its dependence on rice, ensuring increased future food security.¹²

The mutant varieties of sorghum also have several environmental benefits. They are drought tolerant and therefore water efficient. They are also resistant to major diseases, so require less fertilizer and pesticide use. It is estimated that use of irrigation and pesticides can be significantly reduced in sorghum production, by as much as 20 per cent. Furthermore, sorghum is highly efficient in its rate of photosynthesis. This means it produces larger amounts of biomass which can be recycled into the soil, helping to maintain soil fertility supporting more sustainable agricultural practice. Sorghum stovers (stem and leaves) can also be used for feeding animals (ruminants).

¹² In the last decade, food diversification consumption has been a top priority for the country. This is reflected in the Strategic Plan of the Ministry of Agriculture (2015-2019).



New dwarf and early maturing sorghum mutants at BATAN, Indonesia.

RCA Contribution

Since 2005, when sorghum first became part of the RCA mutation breeding programme, five projects have been implemented as part of the RCA. These projects have supported capacity building for the country's sorghum mutation breeding programme. Senior researchers have participated in scientific knowledge exchange meetings, while more junior scientists have benefited from participation in regional training. Through the RCA collaboration, Indonesia has itself hosted some of these scientific capacity building activities, for example, training on mutant screening for abiotic stresses and molecular approaches

for selection of desired green traits in crops.

In addition to capacity building activities, Indonesia has also published scientific articles on sorghum mutation breeding under the IAEA-RCA projects.¹³

The RCA has also supported Indonesia's research programme to qualify products to meet market standards in Indonesia.

The success of the sorghum mutation breeding research has also been acknowledged through the Food and Agriculture Innovation Award of the Ministry of Agriculture in 2015, and the Agricultural Development Award from the President of Indonesia in 2016.

¹³ At the Atom Indonesia journal, the Radioisotopes journal, and the Plant Breeding and Genetics newsletter, for example.

Annex D: Mutation Breeding of Rice in Viet Nam under RCA – case example

Background

Viet Nam started its mutation breeding programme in the late 1970s. Then in 1984 it established a mutation breeding division within the Centre for Agricultural Genetics, where mutation breeding was adopted as one of the core strategies for crop breeding in the country. Sixteen years later, in 2000, the country joined the mutation breeding programme under the Regional Cooperative Agreement for Research, Development and Training Related to Nuclear Science and Technology for Asia and the Pacific (RCA).

Rice has been at the centre of the country's mutation breeding programme because it is the main staple crop in Viet Nam, contributing more than 90 per cent to food security. Indeed, after the war ended in 1975, the government invested considerable resources into rice breeding in order to make the country self-sufficient in rice supply.

Since 2000, collaboration under RCA has led to the release and registration of 30 mutant varieties of rice across a series of institutions including the Agricultural Genetics Institute (AGI), the Food Crop Research Institute (FCRI), and the Institute of Agriculture in the South (IAS), among others.¹⁴

Although currently the major share of production and commercialization of rice in the country is still non-mutant,¹⁵ collaboration under the RCA has played an important role in raising awareness about the potential of rice mutation breeding for crop improvement among policymakers and breeders of other crops. This has been of key importance given the country's context of decentralized

production and commercialization of mutant crop varieties, which has often led to a lack of governmental support and related funding.

Production and Commercialization

Unlike other countries, Viet Nam does not have a unique mutation breeding programme centralized under one particular institution; rather several organizations are in charge of running their own parallel mutation breeding programmes. This situation results in a generalized lack of funding for the implementation of mutation breeding programmes, which constitutes a challenge for the successful production and commercialization of mutant crop varieties.

Economic, Social and Environmental Effects

Mutant varieties of rice have proven to bring a series of economic advantages with respect to the traditional varieties, even though they are not a major share of the production and commercialization of rice in the country.

Mutant varieties of rice have proven to have a yield that is, on average, eight per cent



One of the mutant varieties of rice (Lam Son 10) in Viet Nam.

¹⁴ The complete list of Vietnamese institutions and released rice mutant varieties is the following:

- Agricultural Genetics Institute. 8 varieties: Mutant Tam thom, CL9, Mutant Khang Dan, DT38, DT22, DT37, CNC8, DT 80;
- Food Crop Research Institute. 5 varieties: ĐB1, ĐB5, ĐB6; P6ĐB, N25;
- Institute of Agriculture in the South. 6 varieties: VND99-3, VN121, VN124, VND404, HLDDN904, HLĐ6;
- Department of Agriculture in Soc Trang Province. 5 varieties: Red ST, ST, ST20, ST24, ST25;
- Cuu Long Rice Research Institute. 3 varieties: OM2717, OM2718, OM10424;
- Institute of Biotechnology. 2 varieties; and
- Hanoi Pedagogical University II. 2 varieties (data not provided).

¹⁵ It is calculated that between 20 and 30 new rice varieties are produced every year. Only one or two are mutant varieties.



High quality rice mutants received high awards in national agriculture exhibition in Viet Nam.

higher than from varieties from where they originated. It is estimated that between 2000 and 2019, the 30 mutant varieties of rice, cultivated on a total of 2 234 530 hectares across the country, increased rice yield harvest by 1.1 million tonnes. This increase in yield translated into US\$480 million, which benefited 1 694 780 farmers across the country.

Released mutant varieties of rice also have a shorter maturity period, are more tolerant to lodging (where weak stems bend near the plant's base) and salt in the soil, and less prone to major diseases. For example, mutant rice variety VND99-3, registered as a national variety with quality for export, has a maturity period of 100 days, meaning three rice harvests per year in the Mekong Delta. This means that mutant varieties have a large potential to increase marginal land productivity and promote economic growth among farmers.

RCA Contribution

Cooperation under the RCA had a positive effect on the technology available for rice breeding, which led to an improvement in effectiveness and efficiency in breeding.

Through capacity building activities and knowledge exchange events, young national scientists have been introduced to new methods of irradiation, new techniques of selection, and innovative testing and evaluation methodologies, which had a positive impact on their breeding research. These training activities have also led to improved communication and cooperation among young rice breeders across regions.

Furthermore, collaboration under the RCA has considerably increased awareness about the potential of mutation breeding for crop improvement among policymakers and breeders of other crops, which has been of particular importance given the decentralization of mutation breeding research across institutions in the country.

The success of the rice mutation breeding research has also been acknowledged through different high awards in national agriculture exhibitions. For example, the 2005 Viet Nam National Prize for Science and Technology was awarded to the mutant rice variety VND95-20. Given its high quality and tolerance to salinity, this variety became the key rice variety for export in that year.

Annex E: Survey Analysis

Introduction

This analysis includes information of the 22 countries that are part of the Regional Cooperative Agreement for Research (RCA): Australia, Bangladesh, Cambodia, China, Fiji, India, Indonesia, Japan, Laos, Malaysia, Mongolia, Myanmar, Nepal, New Zealand, Pakistan, Palau, Philippines, Singapore, the Republic of Korea, Sri Lanka, Thailand, and Viet Nam. The findings presented in

this report include analysis of project data provided by the IAEA and information provided by national experts through the implementation of an online survey conducted between February to April 2020. From these 22 countries, 19 participated in the online survey. The three countries that did not take part were Fiji, New Zealand, and Singapore

The map below shows all the countries that are part of this study.



Figure 3: Map of the 22 countries that participate in mutation breeding projects under the RCA programme

Criterion 1: Increased food production

Evidence	Finding	Source
Total number of new mutant lines	7316	Online survey
Total number of new mutant varieties	254	Online survey
Average yield increase (percentage increase in tonnes per hectare)	32.7%	Online survey
Total accumulated growing area (in thousand hectares) since 2000	38 826	Online survey
Percentage of new mutant varieties that improve quality traits	100%	Online survey

Table 1: Key evidence for criterion 1

Mutant lines and mutant varieties developed under RCA since 2000

The definition used by this report for mutant lines and mutant varieties is the following: **mutant lines** are what are also called breeding lines. They do not have a commercial name yet but may have qualified for the target trait that it is been bred for (mostly with breeders to be released later). They have not yet been officially released while **mutant varieties** are those which have a name (example Bamati or NERICA rice, ug 99 for wheat blast etc). These have been certified and officially released, and their passport data is in the public domain.

According to the responses from the online survey, **7316 mutant lines and 254 mutant varieties have been developed under RCA**

since 2000. As shown in Table 2 below, from the 19 countries that participated in the online survey, two have not developed a mutant line under RCA – Bangladesh and Palau – and five have not developed a mutant variety yet – Bangladesh, Cambodia, Laos, Nepal, and Palau. Thus, from all the countries that participated in the online survey 11 per cent have not developed a mutation line and 26 per cent have not developed a mutation variety yet. The countries that have developed more mutant varieties under the RCA programme are Japan (60), China (42), Indonesia (40), Viet Nam (36), and Pakistan (35). Refer to Table 7 at the end of this annex to see all the mutant lines and mutant varieties reported by country and crop.

Qualitative case from Malaysia:

Malaysia has developed 16 mutant lines and two mutant varieties through the RCA programme, utilizing their Gamma Cell and Gamma Green House facilities. In fact, Gamma Green House has been recognized as one of the IAEA Collaborating Centres which has been shared among RCA State Parties, such as Bangladesh, Laos and Mongolia. This also includes non-RCA State Parties such as Congo, Nicaragua and Uganda. The two mutant rice varieties were successfully granted with Certificate of Registration of New Plant Variety and Grant of Breeder's Rights by the Department of Agriculture Malaysia in February 2020 with the registration number: PBR0156 (for NMR152) and PBR0159 (for NMR151).

Country	Has developed lines	Lines developed	Has developed varieties	Varieties developed
Australia	Yes	150	Yes	1
Bangladesh	No	0	No	0
Cambodia	Yes	1	No	0
China	Yes	5000	Yes	42
India	Yes	65	Yes	7
Indonesia	Yes	450	Yes	40
Japan	Yes	60	Yes	60
Laos	Yes	93	No	0
Malaysia	Yes	16	Yes	1
Mongolia	Yes	20	Yes	3
Myanmar	Yes	35	Yes	5
Nepal	Yes	50	No	0
Pakistan	Yes	173	Yes	35
Palau	No	0	No	0
Philippines	Yes	34	Yes	7
Republic of Korea	Yes	800	Yes	7
Sri Lanka	Yes	19	Yes	1
Thailand	Yes	100	Yes	9
Viet Nam	Yes	250	Yes	36

Table 2: Number of mutant lines and mutant varieties developed under the mutant breeding RCA programme since 2000 (by country). Source: IAEA's online survey, 2020

The figure below shows the number of mutant lines and varieties developed by crop. Thus, as the table shows, more than 900 mutant lines of rice have been developed in order to produce about 120 mutant varieties

of this crop; there have been more than 5000 mutant lines of wheat to develop 45 mutant varieties. In the case of soybean, 347 mutant lines and 45 mutant varieties having developed under RCA since 2000 (Figure 4).




Figure 4: Mutant lines and mutant varieties developed by crop




Figure 5: Total mutant varieties developed by crop

Source: IATA's online survey, 2020

From the 254 mutant varieties developed under RCA since 2000, 145 are rice varieties, 45 wheat, and 40 soybean. Figure 5 presents the total number of mutant varieties developed by crop since 2000.


Productivity

To estimate the impact that mutant varieties have on productivity, the online survey asked the experts to report on the average yield productivity (in tonnes per hectare) for the mutant and the control crops respectively. According to the responses of the experts, all the mutant varieties have a higher yield

productivity than their control crops. On average, the mutant varieties have 32.7 per cent higher productivity compared to the control crops. From all the reported mutant varieties crops, sorghum shows the highest increase compared to its control crop (52.5 per cent), followed by groundnut, blackgram and chickpea with a 50 per cent increase in yield productivity.

Figure 6 shows the average change in productivity between mutant and control crops.

Note the graph below excludes tomato and banana because they have a much higher yield than the rest and including them would affect the visualisation. They increased their yield to 16.6 per cent and 33.3 per cent respectively.¹⁶



Source: IAEA's online survey, 2020

Figure 6: Average change in yield productivity (tonnes per hectare): mutant vs control

Cumulative growing area

Approximately, the **total accumulated growing area, since 2000, of mutant crops in the 19 countries that participated in the online survey is 38 826 (thousand hectares)**.¹⁷ From the 14 countries with at least one mutant variety developed, Pakistan is the country with the largest cumulative growing area of mutant crops: 16 200 (thousand hectares). The second largest growing area is in China, followed by Thailand, Viet Nam and

Indonesia. From the countries with at least one mutant variety reported, Sri Lanka and Malaysia are the ones with the smallest cumulative growing area, 0.04 and 0.2 (thousand hectares) respectively. The average cumulative growing area of mutant crops in the RCA countries is 2773 (thousand hectares). Figure 7 shows the total cumulative growing area of mutant varieties since 2000 by country (e.g. if a country had a growing area of 10 hectares for 10 years the graph would show 100 hectares).

¹⁶ The average yield of the mutant varieties and control crops of Tomato is 35 and 30 (tonnes per hectare) respectively and for Banana is 40 and 30 (tonnes per hectare) respectively.

¹⁷ For perspective, the cumulative growing area planted with mutant crops in these 19 countries since 2000 equates to a land area nearly the size of Germany (35 738 000 hectares).




Figure 7: Total accumulated growing area of mutant crops since 2000 by country

The crop with the largest accumulated growing area is chickpea with 13 200 thousand hectares and it is grown only in Pakistan, followed by rice (9575 thousand hectares) that is grown in Japan, Pakistan, Myanmar, Indonesia, Viet Nam, Malaysia,

Philippines and the Republic of Korea. Table 3 summarizes the total mutant lines, varieties and their total growing area (in thousand hectares) and yield (tonnes per hectare). To see the total growing area for each crop by country, see table 7 at the end of this annex.

Crop	Lines developed	Varieties developed	Total cumulative growing area (1,000 ha)	Average yield (tonnes/ha)
Chickpea	55	15	13 200	1.5
Rice	973	122	9575	5.9
Wheat	5,165	45	8012	24.0
Mungbean	178	19	4380	1.3
Soybean	347	40	1929	2.0
Barley	84	1	1000	2.1
Blackgram	15	2	600	1.5
Sorghum	150	3	120	6.1
Groundnut	25	2	10	3.0
Banana	7	1	0.1	40.0
Bean	216	3	0.05	2.0
Tomato	2	1	0.035	35.0

Table 3: Cumulative growing area and productivity of mutant crops (sorted by growing area). Source: IAEA's online survey, 2020

Quality traits

As can be seen in Figure 8, from the 12 crops for which a mutant variety has been developed, 10 have improved at least one quality trait (such as gluten-free, grain size,

grain shape, grain colour, milling quality, eating quality, high mineral content, high oil content, and high seed protein content). In most cases, multiple traits have been improved.




Figure 8: Number of quality traits improved by mutant varieties

To check for consistency between countries on the quality traits improved, the proportion of responses that reported a positive improvement in quality crops was estimated.

Thus, for each crop reported, the proportion of times the crop was reported to have improve a quality trait is presented in Figure 9.




Figure 9: Proportion of responses reporting improvement in quality traits of mutant varieties


Criterion 2: Enhanced environmental protection

Evidence	Finding	Source
Weighted average reduction in chemical fertilizer use for each mutant variety	21%	Online survey ¹⁸
Weighted average reduction in pesticide use for each mutant variety	17%	Online survey
Weighted average increase in water use efficiency	12%	Online survey
Weighted average increase in soil fertility	8%	Online survey

Table 4: Key evidence for criterion 2

Enhanced environmental protection

To assess the environmental contribution of mutant varieties, the number of mutant crops that contribute to at least one environmental protection trait (reduction in pesticide use, reduction in chemical fertilizer use, increase in water efficiency, or increase in soil fertility) was estimated. It was found that **all the crops for which a variety has been developed contribute to at least one environmental protection trait without a significant reduction in production**. Figure 10 shows the proportion of responses, by crop, in which an enhancement in environmental protection was reported. From this figure, it can be seen that mutant varieties of soybean, rice and sorghum have contributed to a reduction of pesticide use and chemical fertilizer, and to an improvement of soil fertility and water efficiency; mutant varieties of tomato reduce the use of pesticides; and mungbean, chickpea and bean improve soil fertility.



Source: IAA/IN's online survey, 2020

Figure 10: Proportion of responses reporting crops enhancing environmental protection

¹⁸ Average reductions in agricultural inputs are weighted averages, taking production (cumulative growing area x average yield productivity) into account so that the contribution of each crop to the overall average is proportional to its relative output of produce.

Reduction in pesticide use

Compared to the use of pesticide for the control crops, seven mutant crops (banana, barley, rice, sorghum, soybean, tomato, and wheat) have reduced the use of pesticide. The weighted average reduction of pesticide is 21 per cent. Figure 11 below shows the reduction in the use of pesticide, compared to its control, by all the mutant varieties reported in the online survey. The vertical dotted lines mark 8 per cent and 15 per cent which are considered in the criterion to be good and excellent respectively.

Qualitative case from Philippines

The mutant banana and rice varieties developed and disseminated to farmers or growers are resistant to pests and diseases such that no pesticide is necessary. In fact, there are banana growers who have 100 per cent reduction in pesticide use but the average value should be reflected because it was also

considered for those who use insecticide and fungicide for post-tissue culture protection of plantlets being established in the nursery before planting out in the field. For rice, the Philippine Department of Agriculture is promoting organic agriculture and farmers are encouraged to avoid using pesticides. Instead, Integrated Pest Management (IPM), specifically the use of predators or beneficial insects and other arthropods, is implemented and pesticide is used as the last resort. With mutant rice varieties that are tolerant or resistant to diseases and their vectors, there is 50 per cent reduction in pesticide use. The cost of pesticides in the Philippines has become prohibitive to ordinary farmers, so that is why a majority of them could not afford to buy it and therefore rely on IPM instead. The latest technology to reduce pesticide use and increase rice yield is the application of radiation-modified kappa-carrageenan solution on rice plants at specific stages.





Figure 11: Reduction in the use of pesticide compared to control groups

As it can be seen in the figure above, five crops have reduced, on average, the use of pesticide by 15 per cent or more, one (soybean) has reduced pesticide use by 10 per cent and one (tomato) has reduced the use of pesticide five per cent compared to its control crop.



Source: IAEA's online survey, 2020

Figure 12: Reduction in the use of chemical fertilizer compared to control crops

Reduction in chemical fertilizer use


Compared to control crops, four mutant varieties (rice, sorghum, soybean and wheat) have reduced the use of chemical fertilizer. The weighted average reduction of chemical fertilizer, compared to control crops, is 17

per cent. Wheat, sorghum and soybean have reduced, on average, about 15 per cent the use of chemical fertilizer. The green and yellow dotted lines in Figure 12 mark 20 per cent and 10 per cent which is considered in the criterion as excellent and good respectively.

Increase in water efficiency


Four mutant varieties (rice, sorghum, soybean, and wheat) have contributed to an increase of water efficiency compared to the control crops. The weighted average increase in water efficiency by mutant varieties is 12 per cent. Figure 13 presents the increase of water efficiency of mutant varieties in comparison

with its control crops. From the figure, it can be seen that Wheat increased by 25 per cent the efficiency in the use of water compared to the control crop, and sorghum 15 per cent. The vertical green and yellow lines marked 20 per cent and 10 per cent increase in water efficiency which, according to the criterion, are excellent and good, respectively.



Source: IAEA's online survey, 2020

Figure 13: Increase in water efficiency compared to control crops




Increase in soil fertility

Six mutant varieties (bean, chickpea, mungbean, rice, sorghum, and soybean) increased soil fertility compared to their control crops. On average (weighted), mutant varieties increased 8 per cent soil fertility in comparison to control crops. Figure 14 presents the increase in soil fertility of each crop in comparison to its control.

Qualitative case from Indonesia

In Indonesia, after soybean cultivation farmers usually give lesser amount of nitrogen fertilizer than the control (10-15 per cent reduction) for the next growing crop. It is because soybean root system in symbiosis with agrobacterium can uptake nitrogen from the air and deposit them in the soil so that soil fertility increases significantly.



Source: IAEA's online survey, 2020

Figure 14: Increase in soil fertility compared to control crops

Criterion 3: Strengthened regional capacity and sustainability

Evidence	Finding	Source
Countries have a national team in mutation breeding	73.7%	Online survey
Countries with access to field facilities	89.5%	Online Survey
Countries with access to radiation facilities	68.4%	Online survey
Number of group training courses in mutation breeding	25	Internal IAEA data
Numbers of people trained under RCA in mutation breeding and associated techniques	470	Internal IAEA data
Countries with trained personnel in mutation breeding	19	Internal IAEA data and online survey
Countries sharing knowledge with other countries	13	Online survey
Formal networks between countries and within countries	353	Online survey
Scientific publications in mutation breeding produced by State Parties	977	Online survey

Table 5: Key evidence for criterion 3

National team and facilities for mutation breeding

The year in which a country started mutation breeding at the national level varies between countries. Countries like Japan, China, Sri Lanka and India started in 1960 while countries like Laos, Cambodia or Palau started less than 15 years ago (see table below). As it can be seen in Table 6, **73.7 per cent of the 19 countries that participated in the online survey have a national team in mutation breeding**, 89.5 per cent have a field facility and 68.4 per cent have a radiation facility. It is worth noting that none of the countries that started a mutation breeding programme earlier than 40 years ago have a radiation facility yet.


Country	Year mutation breeding started at the national level	Total years	National team	Field facility	Radiation facility
Japan	1960	60	Yes	No	Yes
China	1960	60	Yes	Yes	Yes
Sri Lanka	1960	60	Yes	Yes	Yes
India	1960	60	Yes	Yes	Yes
Republic of Korea	1960	60	Yes	Yes	Yes
Philippines	1962	58	Yes	Yes	Yes
Thailand	1965	55	Yes	Yes	Yes
Pakistan	1970	50	Yes	Yes	Yes
Myanmar	1970	50	Yes	Yes	Yes
Australia	1971	49	No	Yes	Yes
Bangladesh	1972	48	Yes	Yes	Yes
Indonesia	1972	48	Yes	Yes	Yes
Malaysia	1975	45	No	No	No
Viet Nam	1978	42	Yes	Yes	Yes
Mongolia	1982	38	Yes	Yes	No
Nepal	1997	23	No	Yes	No
Palau	2009	11	No	Yes	No
Laos	2015	5	Yes	Yes	No
Cambodia	2018	2	No	Yes	No

Table 6: Year in which mutation breeding started at the national level, human resources, and facilities in place by country. Source: IAEA's online survey, 2020

Training in mutation breeding and associated techniques

According to the IAEA's internal data, a total of 25 courses in mutation breeding have been conducted since 2000, and **a total of 470 individuals have been trained in regional training courses under RCA projects.**

Of the 470 individuals, 108 are women (23 per cent). China is the country with the largest number of people trained with 47, followed by Viet Nam and Indonesia with 36 each. On average, 21 people have been trained in each country under RCA projects since 2000 (Figure 15).



Source: IAEA's internal data, 2020

Figure 15: People trained in regional training courses under RCA by country

To estimate the level to which RCA has contributed to the development of human capacity in the different countries, the online survey and the internal tool were combined to analyse the number of countries for which personnel have been trained either in regional courses or at the national level under RCA projects. In this respect, **19 out of the 22 countries have reported that personnel have been trained either nationally or regionally.**¹⁹ From the 22 countries only Australia, Fiji, and Singapore did not report having received training under RCA. Japan is the only country that reported to have participated in training at the national level (online survey) but not having received training at the regional level (IAEA project data).

Qualitative responses from Mongolia, Thailand, Sri Lanka and India

Mongolia

“The RCA projects greatly contribute to the improvement of overall skill and capacity of our breeding team on the use of nuclear and screening of technique of mutation breeding. Use of nuclear and other screening facilities among member countries is very important for developing countries which don’t have sufficient facility and resources.”

Thailand

“Training support by RCA enhances the knowledge and ability of the researcher, resulting in improving research and progress.”


Sri Lanka

“The training offered by RCA for the capacity building of scientists assists them to acquire the latest technologies to speed up mutation breeding. Scientists tend to use mutagenesis to create genetic variability in many crops using the newly installed gamma irradiation chamber facilitates through the IAEA. The knowledge, skills and success stories shared in the progress review meetings and training of trainers giving encouragement to the PIs and scientists to scale up the mutation breeding programmes.”

India

“Through RCA, approximately 20 scientists were trained on the principles of mutation breeding and advanced tools. Because of RCA, several plant breeders are now using mutation breeding for crop improvement. Those trained through RCA are practicing mutation breeding in crops leading to development of improved breeding lines and now conducting training courses at national level. In the last 3 years, more than 100 young scientists were trained and we are receiving good appreciation from the breeding community.”

¹⁹ According to an internal informant from IAEA: Japan and Australia are considered as resource countries under RCA; New Zealand and Singapore have not shown much interest in mutation breeding; and Fiji is in the process of getting awareness.



Source: IAEA's internal data, 2020

Figure 16: Number of experts that had joint missions to other countries under RCA

Expert missions and workshops

According to the IAEA's project data, **26 expert missions have occurred since 2000 under RCA** to which 22 national experts (five per cent women) from six countries (China, Australia, Philippines, Pakistan, Myanmar, and India) attended expert missions to other countries. Figure 16 presents the total number of national experts that have joined at least one expert mission to another country.

Moreover, **23 meetings and workshops were conducted for senior members in mutation breeding research** teams for a total of 453 participants.

Qualitative responses from Laos and Pakistan

Laos

"The main positive effect of RCA in Laos is human resource development through the TC and RCA project that gave our breeders

a chance to learn and develop mutation breeding. Secondly, to develop a mutation breeding network so that our breeders have the opportunity learn from other members and send our material for irradiating, because we don't have equipment for this. Third we got some equipment from TC and RCA for a breeding programme which is helping speed up our breeding process."


Pakistan

"Agricultural institutes in Pakistan expedite the process of variety development through expertise, collaborations, training and infrastructure development. Access to advanced technology from other member countries and training for new molecular techniques helped in rapid screening mutant lines against biotic and abiotic stresses which minimizes the cost, time and labour. Learning from experiences of member states, mutation breeding programme has also been extended to new crops like sesame."

Publications in mutation breeding


In the online survey, country experts were asked to report the total number of publications in mutation breeding developed in each country since 2000. By publication, the study means: journal articles, newspaper articles, theses, books (and e-books), websites, conferences, online blogs, encyclopaedia articles, etc. As a result, it was reported that **a total of 1801**

publications have been developed since 2000 in the 19 countries that participated in the online survey. From these publications, 54.2 per cent are scientific publications. Figure 17 presents the total number of publications by type (scientific and non-scientific) and by country since 2000. *Note: This chart excludes China for which the number of reported of publications was very high at over 30 000.*



Source: IAEA's online survey, 2020

Figure 17: Number of publications since 2000 under RCA



Source: IAEA's online survey, 2020

Figure 18: Number of countries that have shared knowledge or services with other countries under RCA


Networking, collaboration and knowledge transfer

To estimate the level of collaboration between countries, the online survey asked the experts if their country has provided services and knowledge related to mutation breeding to other countries. Examples of services and knowledge could be data, events, funding, infrastructure, jobs, projects, publications, research, skills sharing, tools, etc. According to the answers provided by the experts, **a total of 13 RCA countries – Japan, Pakistan,**

Bangladesh, China, Indonesia, Thailand, Sri Lanka, India, Viet Nam, Malaysia, Australia, Philippines, and the Republic of Korea – have provided services and knowledge related to mutation breeding to other countries. From these 13 countries that have shared knowledge or services with other countries, nine have shared skills and publications, eight have organized events, seven have shared research and six have shared data. Figure 18 shows the number of countries that have shared the different types of collaboration with other countries.


Moreover, to estimate the level and scope of networks within the countries and to approximate the level of connection with other national stakeholders, the online survey asked the experts to provide information about the number of companies and institutions that have cooperated with the country for mutation breeding, dissemination of mutant varieties, and contribution to knowledge. The online survey also asked for the approximate number of donors that have provided funding to research projects since 2000. Survey responses indicate that approximately **353 companies and institutions have cooperated with the partner countries in the dissemination of mutant varieties and about 85 donors have provided funds since 2000.**

As can be observed in Figure 19, the level of cooperation and networking within countries varies between partners. From the 19 countries, only three – Cambodia, Myanmar and Palau – did not report any relationship with other institutions or donors within their countries. For the other partners who have established cooperation with other national organizations, China and the Republic of Korea are the ones with a larger network of collaboration with other institutions, 100 and 80 respectively. As for the number of donors who have provided funding, China, Pakistan and India have reported 20, 15, and 10 contributions from donors respectively. From the countries that reported a collaboration with either a donor or an institution, only Thailand has not received funding from any donors.



Source: IAEA's online survey, 2020

Figure 19: Number of institutions and donors that have cooperated for mutation breeding by country



Country	Crop	Lines developed	Varieties developed	Cumulative growing area (in thousand ha)	Yield (tonnes/ha)	Yield control (tonnes/ha)
Australia	Barley	80	1	1000	2.1	2.00
Australia	Lupin	8	0	NA	NA	NA
Australia	Oat	12	0	NA	NA	NA
Australia	Wheat	50	0	NA	NA	NA
Bangladesh	Groundnut	0	0	NA	NA	NA
Bangladesh	Rice	0	0	NA	NA	NA
Bangladesh	Sugarcane	0	0	NA	NA	NA
Cambodia	Banana	0	0	NA	NA	NA
Cambodia	Maize	0	0	NA	NA	NA
Cambodia	Rice	1	0	NA	NA	NA
China	Wheat	5,000	42	8000	6.5	5.00
India	Blackgram	15	2	600	1.5	1.00
India	Groundnut	20	2	10	3.0	2.00
India	Mungbean	30	3	400	1.5	1.00
Indonesia	Rice	200	25	1050	7.5	5.00
Indonesia	Sorghum	100	3	120	6.1	4.00
Indonesia	Soybean	150	12	800	2.4	1.00
Japan	Rice	43	43	180.2	5.0	5.00
Japan	Soybean	17	17	13	1.7	1.70
Laos	Mungbean	10	0	NA	NA	NA
Laos	Rice	63	0	NA	NA	NA
Laos	Soybean	20	0	NA	NA	NA
Malaysia	Banana	3	0	NA	NA	NA
Malaysia	Pineapple	3	0	NA	NA	NA
Malaysia	Rice	10	1	0.2	10.0	5.00
Mongolia	Barley	4	0	NA	NA	NA
Mongolia	Rice	1	0	NA	NA	NA
Mongolia	Wheat	15	3	12	1.6	1.00
Myanmar	Mungbean	9	0	NA	NA	NA
Myanmar	Rice	26	5	100	4.5	3.00
Myanmar	Sesame	0	0	NA	NA	NA
Nepal	Groundnut	5	0	NA	NA	NA
Nepal	Rice	20	0	NA	NA	NA
Nepal	Sugarcane	25	0	NA	NA	NA
Pakistan	Chickpea	55	15	13 200	1.5	1.00
Pakistan	Mungbean	88	12	2280	1.3	1.00
Pakistan	Rice	30	8	6000	5.5	4.00
Palau	Banana	0	0	NA	NA	NA
Palau	Groundnut	0	0	NA	NA	NA
Palau	Pineapple	0	0	NA	NA	NA

Country	Crop	Lines developed	Varieties developed	Cumulative growing area (in thousand ha)	Yield (tonnes/ha)	Yield control (tonnes/ha)
Philippines	Adlai	1	0	NA	NA	NA
Philippines	Banana	4	1	0.1	40.0	30.00
Philippines	Rice	29	6	0.146	3.0	3.00
Philippines	Sugarcane	0	0	NA	NA	NA
Republic of Korea	Bean	200	3	0.05	2.0	2.00
Republic of Korea	Oat	50	0	NA	NA	NA
Republic of Korea	Rice	400	4	10	5.0	4.75
Republic of Korea	Sorghum	50	0	NA	NA	NA
Republic of Korea	Wheat	100	0	NA	NA	NA
Sri Lanka	Bean	16	0	NA	NA	NA
Sri Lanka	Mungbean	1	0	NA	NA	NA
Sri Lanka	Tomato	2	1	0.035	35.0	30.00
Thailand	Mungbean	40	4	1700	1.0	1.00
Thailand	Soybean	60	5	960	1.7	1.00
Viet Nam	Rice	150	30	2235	6.5	6.00
Viet Nam	Soybean	100	6	156	2.0	2.00

Table 7: Mutant lines and mutant varieties developed (by country and crop). Source: IAEA's online survey, 2020



Annex F: Economic Analysis

Summary points

- Between 2000 and 2019 the RCA delivered excellent economic outcomes with estimated economic benefits significantly in excess of estimated costs.
- In the baseline scenario the RCA generated estimated net economic benefits of €15.8m. This includes costs and benefits incurred between 2000 and 2019, and projected benefits after 2019 from mutant varieties developed under the RCA between 2000 and 2019.
- Under alternative assumptions the estimated net benefits could be between €7.5m and €23.2m. For the purposes of this report it was considered likely that the net benefits of the RCA were positive under almost all plausible assumptions about benefits and costs.
- Almost all benefits of the RCA came from speeding up the development of mutant varieties, compared to a hypothetical situation if there was no RCA. This means the main way the RCA generated economic benefits was by advancing the timing of commercial production of successful mutant varieties by helping to speed up the earlier stages of development of these varieties.
- The RCA also helped several countries to develop mutant varieties that they would not otherwise have in the absence of the RCA, but these crops are recently commercialized, and not yet grown in significant volumes so the associated economic benefits are small.
- The estimates of benefits and costs are largely retrospective and are based on actual outcomes under the RCA between 2000 and 2019. These results should not be used to make decisions about the future of the RCA, or to decide whether the scale of the RCA should be increased or decreased.

Overview

A quantitative social cost-benefit model was developed for this report to estimate the economic impact generated by the RCA between 2000 to 2019 (inclusive). This includes estimates of actual economic benefits and costs that occurred between those years, and projections of future benefits from 2020 onwards that are associated with ongoing production of mutant varieties of crops that were developed under the RCA before 2020.

The analysis estimates the incremental economic benefits and costs that are attributable to collaboration in mutation breeding – i.e. the benefits and costs of mutation breeding activities were estimated as a whole but rather just the benefits and costs associated with collaboration under the RCA.

The economic analysis is based on production of mutant varieties of 25 crops developed in RCA member countries (of which survey data revealed 20 crops where the RCA contributed significantly to their development). For each of these crops, it was estimated economic benefits of the crop relative to a non-mutant control variety due to various superior characteristics of the mutant variety such as greater yield and disease resistance. For each crop, some or all of those benefits were attributed to the RCA, depending on the role that the RCA played in development of mutant varieties in the country where it was developed. From these benefits, estimates of the costs incurred by the IAEA and by member countries were subtracted that could be attributed to the RCA.

Cost-benefit methodology

The economic analysis is based on comparing annual estimates of economic outcomes of mutation breeding projects under the RCA versus a hypothetical counterfactual scenario where there is no RCA. The economic model estimated the

aggregate differences in economic benefits and costs between these two scenarios. Benefits and costs were estimated on an annual basis and were converted to present values (in 2020 euros) using an appropriate discount rate (see below for details).

High-level effects of participating in the RCA on development of mutant varieties

Based on information provided by experts in mutation breeding from countries participating in the RCA, it was understood that the RCA had different effects on mutation breeding activities in different countries. Experts reported the following effects of the RCA on the development of mutant varieties in their countries between 2000 and 2019:

- *New varieties*: The RCA enabled mutant varieties to be developed that would not otherwise have been developed without the RCA (reported by five countries).
- *Speed-up*: Development of mutant varieties was sped up by the RCA, i.e. mutant varieties developed by the country would still have been developed without the RCA, but development would have taken more time (reported by 10 countries).
- *No effect*: The RCA had no significant effects on the development of mutant varieties (reported by seven countries).


Based on the available information from country experts, each RCA member country was placed into one of the three categories above. For countries where the RCA led to faster or additional development of mutant varieties compared to if there was no RCA

(i.e. mutant varieties developed in countries in categories 1 or 2 above), it was assumed that this led to economic benefits and costs that can be attributed to the RCA.

The analysis focused on economic benefits that are realized when mutant varieties enter into commercial production. Development of mutant varieties that have not yet entered into commercial production may also generate some economic benefits, for example by contributing to potential future food security or health benefits. Although, such benefits are difficult to quantify and are excluded from this analysis. Economic costs associated with the RCA itself and additional mutation breeding activities in member countries that were due to the RCA were also modelled (see below).

Mutant varieties included in the cost-benefit analysis

Experts from countries participating in the mutation breeding projects under the RCA asked to provide information through the survey on mutant varieties that were developed in their country under the RCA. From this information, it was found that about 25 mutant varieties of crops are in commercial production in the respective countries whose development was connected to the RCA. The relevant crops are shown in Table 8, including the year in which mutation breeding development started, the year that mutant varieties entered commercial production, and the reported accumulated (total) growing area of mutant varieties of each crop between 2000 and 2019. Table 8 also shows the reported impact category of the RCA for each country, which it was assumed applies to all mutant varieties developed in that country between 2000 and 2019.



Country	Crop	RCA impact category for country	Year development started	Year entered commercial production	Accumulated growing area from 2000 to 2019 (ha)
Australia	Barley	(3) No effect	2005	2010	1 000 000
China	Wheat	(2) Speed-up	1957	2000	8 000 000
India	Blackgram	(2) Speed-up	1970	1985	600 000
India	Groundnut	(2) Speed-up	1960	1973	10 000
India	Mungbean	(2) Speed-up	1970	1983	400 000
Indonesia	Rice	(2) Speed-up	1972	1978	1 050 000
Indonesia	Sorghum	(2) Speed-up	2005	2013	120 000
Indonesia	Soybean	(2) Speed-up	1975	1981	800 000
Japan	Rice	(2) Speed-up	1959	1966	180 223
Japan	Soybean	(2) Speed-up	1960	1966	13 000
Korea	Bean	(3) No effect	1995	2010	50
Korea	Rice	(3) No effect	1995	2005	10 000
Malaysia	Rice	(2) Speed-up	2005	2019	200
Mongolia	Wheat	(1) New varieties	1972	1986	12 000
Myanmar	Rice	(2) Speed-up	1970	1974	100 000
Pakistan	Chickpea	(2) Speed-up	1972	1982	13 200 000
Pakistan	Mungbean	(2) Speed-up	1974	1983	2 280 000
Pakistan	Rice	(2) Speed-up	1966	1977	6 000 000
Philippines	Banana	(3) No effect	2000	2017	100
Philippines	Rice	(3) No effect	1962	1970	146
Sri Lanka	Tomato	(1) New varieties	2003	2010	35
Thailand	Mungbean	(2) Speed-up	1996	2009	1 700 000
Thailand	Soybean	(2) Speed-up	1987	2006	960 000
Viet Nam	Rice	(2) Speed-up	1978	1990	2 234 530
Viet Nam	Soybean	(2) Speed-up	1983	1993	156 000

Table 8: Crops with mutant varieties included in the economic analysis. Source: Survey of mutation breeding experts in RCA member countries.

As seen in Table 8, some of the mutant varieties that respondents to the survey included as being developed under the RCA had already entered commercial production before 2000, i.e. before the start of this economic evaluation. However, IAEA mutation breeding experts provided advice that there was likely to have been ongoing further development under the RCA of these crops that were introduced before 2000, and hence some benefits

associated with crops that were introduced before 2000 may still be attributed to the RCA between 2000 and 2019. In consultation with IAEA experts, it was assumed that benefits from crops introduced before 2000 could be attributed to the RCA after 2000 in cases where the country reported that the RCA enabled them to develop additional mutant varieties that would not have been developed without the RCA (i.e. countries in category 1 above).

Modelling economic benefits of the RCA

Estimates developed for this report of the economic benefits of the RCA for the historic period from 2000 to 2019 are based on the 25 crops listed in Table 8 above. For each of those crops, benefits of the mutant variety relative to a non-mutant control variety were estimated to be due to:

- Differences in crop yield. Mutant varieties typically have greater yield (tonnes produced per hectare of crop) compared to control varieties.
- Differences in market price. Mutant varieties typically sell for higher market prices compared to control varieties due to superior characteristics.
- Changes in production costs, accounting for both changes in production volumes and changes in average costs per tonne produced (see below).


For each crop, some or all of these differences were then attributed to the RCA depending on the impact of the RCA reported by the relevant country expert on the development of mutant varieties in that country and depending on whether the variety entered commercial production before the year 2000 or afterwards.

In countries where the RCA led to additional development of mutant varieties (i.e. countries in category 1 above), the economic benefits of the RCA come from the introduction of mutant varieties that would not have existed without the RCA. In such cases all of the benefits of such varieties were attributed to the RCA relative to the control variety for crops that were introduced to commercial production in the year 2000 or later. For crops that were introduced to commercial production before the year 2000, in the baseline case it was assumed that 25 per cent of the benefits of the mutant variety relative to the control variety are attributed to the RCA between 2000 and

2019, based on an assumption that there was ongoing further development of such mutant varieties under the RCA, as described above.

In countries where the RCA led to faster development of mutant varieties (i.e. countries in category 2 above), the economic benefits of the RCA come from the change in timing of the benefits of mutant varieties relative to control varieties. In general, economic benefits (or costs) are greater when they occur earlier in time, everything else being equal. This is because societies and individuals generally prefer consumption that occurs sooner rather than later, due to uncertainties about future outcomes. For example, people would generally prefer to receive a payment of US\$100 now rather than a promise of US\$100 in a year's time, because there is some uncertainty about whether the future payment will occur and/or whether the individual will still be alive to consume it. Therefore, in cases where the RCA sped up development of mutant varieties, the fact that the benefits of these varieties occurred earlier in time generates an economic benefit, even if the total amount of benefits generated over time is unchanged. In addition, earlier access to new crops may generate social benefits by improving the ability of poorer populations to access new sources of food, reducing malnutrition and child mortality.

In cases where the RCA sped up development of mutant varieties, it was assumed for this report that the benefits of such mutant varieties relative to control varieties would have been the same without the RCA but would have occurred later in time. This change in timing generates an economic benefit due to the opportunity cost of time factored into the present value calculations, as explained above. The effects of this change in timing were attributed to the RCA for crops that entered commercial production in the year 2000 or later. For crops that entered production prior to 2000, the benefits from the change in timing occurred prior to the evaluation period



and thus are not included in the estimated benefits of the RCA between 2000 and 2019.

These assumptions about the benefits of mutant varieties that are attributed to the RCA are summarized in Table 9. In practice, these assumptions mean that estimates of the economic benefits of the RCA for this report are based on the following impact on specific crops in specific countries:

- Enabled development of mutant varieties of tomato in Sri Lanka
- Accelerated development of mutant varieties of sorghum in Indonesia, rice in Malaysia, wheat in Mongolia, mungbean in Thailand, and soybean in Thailand.

Year entered commercial production	RCA impact category for country	Assumed benefits of mutant varieties attributed to the RCA
Before 2000	(1) New varieties	Partial (Baseline 25%, low 0%, high 50%)
Before 2000	(2) Speed-up	None
Before 2000	(3) No effect	None
2000 to 2019	(1) New varieties	Full benefits of mutant varieties vs control varieties
2000 to 2019	(2) Speed-up	Time-shift effect
2000 to 2019	(3) No effect	None

Table 9: Summary of assumed benefits of mutant varieties attributed to the RCA

For each of the 25 crops shown in Table 8, economic benefits were estimated relative to a non-mutant control variety arising from some or all of:


- Increased crop yield, i.e. increased production per hectare, assuming that the same growing area as reported for mutant varieties between 2000 and 2019 would have been allocated to control varieties of the same crop if the mutant varieties had not been developed.²⁰
- Increased market price, which translates to increased revenue for farmers, where everything else being equal.
- Changes in costs of production associated with use of chemical fertilizer and pesticides.

Table 10 summarizes the relevant characteristics of the 25 mutant varieties included in this analysis. Overall, increased yield and increased market price in 19 out of 25 crops, reduced costs of chemical fertilizers per tonne of produce in 9 crops, and reduced costs of pesticides per tonne of produce in 11 crops. It is important to note that while the costs of fertilizers and pesticides are typically lower per tonne for mutant varieties compared to control varieties, in many cases it was estimated for this report that the total costs of fertilizers and pesticides for the mutant varieties are greater than the control varieties, due to increased yields and increased production of mutant varieties.

²⁰ Farmers may change growing areas allocated to mutant and non-mutant varieties in response to changes in crop yields. Lacking information about such changes, it was assumed that all growing area allocated to mutant varieties between 2000 and 2019 would have been allocated to non-mutant varieties of the same crops if the mutant varieties were not available.

Country	Crop	Yield of mutant variety (tonnes/ha)	Yield of control variety (tonnes/ha)	Market price of mutant variety (US\$/tonne)	Mutant variety vs control variety price differential	Fertilizer cost of mutant variety (US\$/tonne)	Fertilizer cost of mutant variety vs control	Pesticide cost of mutant variety (US\$/tonne)	Pesticide cost of mutant variety vs control	Estimated other variable costs (US\$/tonne)
Australia	Barley	2.1	2.0	255	No change	30.24	No change	22.66	-15%	147.10
China	Wheat	6.5	5.0	336	+1.0%	60.80	-15%	17.37	-30%	169.80
India	Blackgram	1.5	1.0	*128	No change	40.00	No change	33.00	No change	29.24
India	Groundnut	3.0	2.0	*480	No change	70.00	No change	80.00	No change	234.00
India	Mungbean	1.5	1.0	*971	No change	35.00	No change	40.00	No change	701.80
Indonesia	Rice	7.5	5.0	730	+10.0%	14.14	-10%	10.60	-15%	502.73
Indonesia	Sorghum	6.1	4.0	365	+15.0%	5.30	-15%	3.53	-15%	243.52
Indonesia	Soybean	2.4	1.0	437	+10.0%	10.60	-15%	7.07	-10%	297.49
Japan	Rice	5.0	5.0	1360	No change	146.78	-10%	128.43	-10%	782.22
Japan	Soybean	1.7	1.7	1280	+1.0%	256.86	-1%	192.64	No change	561.77
Korea	Bean	2.0	2.0	8440	No change	80.00	No change	70.00	No change	6602.00
Korea	Rice	5.0	4.8	253	+10.0%	83.00	No change	50.00	No change	51.00
Malaysia	Rice	10.0	5.0	292	+15.0%	26.55	-15%	28.97	-5%	141.40
Mongolia	Wheat	1.6	1.0	200	+7.0%	101.67	No change	14.53	No change	33.33
Myanmar	Rice	4.5	3.0	1035	No change	164.66	-35%	46.11	No change	528.57
Pakistan	Chickpea	1.5	1.0	561	+10.0%	53.32	No change	20.00	No change	334.68
Pakistan	Mungbean	1.3	1.0	971	+10.0%	66.65	No change	33.33	No change	606.21
Pakistan	Rice	5.5	4.0	259	+5.0%	33.33	No change	16.66	No change	147.35
Philippines	Banana	40.0	30.0	597	No change	*120.00	No change	*63.11	No change	294.49
Philippines	Rice	3.0	3.0	320	No change	*79.32	No change	*42.59	-50%	91.51
Sri Lanka	Tomato	35.0	30.0	633	+15.0%	6.66	No change	20.03	-5%	412.61
Thailand	Mungbean	1.0	1.0	2665	+5.0%	200.00	No change	333.00	No change	1497.48
Thailand	Soybean	1.7	1.0	2517	+5.0%	200.00	No change	200.00	No change	1517.71
Viet Nam	Rice	6.5	6.0	430	+40.0%	86.77	No change	17.35	-20%	137.26
Viet Nam	Soybean	2.0	2.0	774	+10.0%	95.44	-20%	86.77	-15%	341.53

Table 10: Economic characteristics of crops used to estimate economic benefits of the RCA.
** Information not supplied by country experts was estimated from other sources*



The survey of country experts in mutation breeding indicated that mutant varieties have various other superior characteristics relative to non-mutant varieties such as improved tolerance of drought, salt, and submergence, better water efficiency and improved quality traits such as shape, colour, and taste. Due to a lack of information about the commercial significance of such differences, effects other than those listed above in this report's estimates of the economic benefits of mutant varieties were not included. Due to these omissions, it is possible that the actual economic benefits of mutant varieties relative to the control varieties are greater than estimated here.

However, estimates for any changes in other variable costs of producing crops were included aside from fertilizers and pesticides, e.g. labour costs and transportation. It was assumed that the gross profit margin per tonne of mutant varieties was 20 per cent (with low and high scenarios of 10 per cent and 30 per cent). This assumption, together with the reported costs of fertilizers and pesticides per tonne, enabled the total other operating costs per tonne to be estimated. This cost per tonne was assumed to be the same for both mutant and control varieties of the same crop. The estimated values of these other costs are shown in the final column of Table 10.

Benefits were estimated for this report of mutant varieties that are attributable to the RCA for six years (with low and high scenarios of three years and nine years) from when the crop entered commercial production, or

from the year 2000 for crops that entered commercial production before 2000 and were further developed after that date under the RCA. Mutation breeding experts from RCA member countries provided details the typical commercial lifetime of mutant varieties ranges from two years to indefinite and is often around five to seven years. This suggests that the benefits from some mutant varieties are relatively short-lived. In addition, it is expected that over time market forces will erode the economic benefits of mutant varieties as more farmers adopt crops with superior characteristics leading to a change in market prices, and as alternative (non-mutant) crops also improve due to other development. It is therefore reasonable to limit the period over which the benefits of the mutant varieties are attributed to the RCA.

For each crop it was estimated that annual production of the mutant variety from the figures for the accumulated growing area between 2000 and 2019 from Table 8 and the yield of the mutant variety from Table 9. It was also calculated what production of the control variety would have been if the same growing area was used, based on the control variety yield in Table 9. Annual production data was not available, so it was assumed that the same growing area was used for each crop in each year. Thus, it was calculated that the annual growing area for each crop by dividing the accumulated growing area figures in Table 8 by the appropriate number of years of production between 2000 and 2019.²¹ The assumed annual growing area of each mutant variety is illustrated in Figure 20.

²¹ For crops introduced before 2000, it was assumed that the accumulated growing area figures in Table 8 correspond to the total from 20 years of production. For crops introduced after 2000, it was calculated the average annual growing area by dividing the accumulated growing area by the number of years between when the crop was introduced and 2019.




Figure 20: Assumed annual growing area of mutant varieties between 2000 and 2019

To illustrate the relative importance of mutant varieties included in this analysis, Figure 21 shows estimates of the total benefits between 2000 and 2019 by crop (modelled for a maximum of six years for each crop, as explained above). These figures reflect the combined effect of the estimated growing area of mutant varieties between 2000 and 2019, the relative yields of mutant and control

varieties, and differences in chemical fertilizer and pesticide costs. On the chart, the six mutant varieties estimated to be directly impacted by the RCA are highlighted. The remaining mutant varieties were assumed to not have been impacted by the RCA between 2000 and 2019 based on the assumptions summarized in Table 9 above.




Figure 21: Estimated (undiscounted) benefits of mutant varieties relative to control varieties between 2000 and 2019

Modelling economic costs of the RCA

In addition to the benefits described above, it is reasonable to assume that the RCA also generated some economic costs relative to a hypothetical scenario in which there was no RCA. These costs reflect the opportunity costs arising from committing resources of the IAEA and of RCA member countries to RCA-related activities. The following costs were estimated for the period from 2000 to 2019:

- Costs incurred by the IAEA associated with conducting RCA mutation breeding activities including training courses, workshops, expert missions and other activities.
- Costs incurred by RCA mutation breeding member countries for participating in those activities.

- Costs associated with development of additional mutant varieties of crops in countries where participating in the RCA enabled them to develop additional mutant varieties.
- Overhead costs associated with all of the above.

Economic costs incurred by the IAEA associated with RCA mutation breeding activities

Information from the IAEA was provided about its costs in relation to RCA mutation breeding activities between 2000 and 2019. These included costs associated with organizing mutation breeding meetings, training courses, expert missions and other activities in Vienna and member countries. Total reported costs over the period from 2000 to 2019 were €2.42m.

Based on the information provided by the IAEA, costs were categorized by type of activity and calculated the average and total cost for each type of activity between 2000 and 2019 (Table 11). The average cost per type of activity shown in Table 11 was used to estimate annual costs, while ensuring that the estimated total costs over the period from 2000 to 2019 add up to the same total (€2.42m).

Activity	Average (€)	Total (€)
Meeting	54 270	814 055
Training course	79 487	1 192 305
Expert mission	7 394	81 332
Other	19 303	154 424
Total		2 242 116

Table 11: Costs incurred by the IAEA associated with RCA mutation breeding activities. Source: Calculated from cost and project activity data provided by the IAEA.

Figure 22 shows the number of each type of activity facilitated by the IAEA in each year between 2000 and 2019. These activity counts were used to estimate annual costs incurred by the IAEA to organize the RCA. In addition to these direct operating costs, a 10 per cent premium was added for the purpose of this study (with scenarios of 5 per cent and 20 per cent) to account for overhead costs (e.g. administration and office costs).

Economic costs incurred by member countries associated with RCA mutation breeding activities

It was assumed that RCA member countries incurred costs to participate in RCA mutation breeding activities associated with opportunity costs of time for those attending mutation breeding training courses and meetings, etc (direct travel and accommodation costs were funded by the IAEA and are included in the estimates of the IAEA's costs above).




Figure 22: Annual number of mutation breeding activities facilitated by the IAEA. Source: IAEA




Figure 23: Annual number of people from RCA mutation breeding member countries who attended RCA mutation breeding activities organized by the IAEA. Source: IAEA.

For each member country, it was estimated that these costs for each year between 2000 and 2019 were based on information provided by the IAEA about the number of people from that country who attended RCA mutation breeding workshops and meetings.

The total number of people from RCA mutation breeding member countries who attended these activities in each year is shown in Figure 23.²² It was understood that a mutation breeding training course runs for approximately two weeks on average, and a mutation breeding meeting or workshop runs for approximately one week on average.

It was assumed that there were opportunity costs associated with people from RCA member countries who attended mutation breeding courses and meetings being unable to do other productive work during that time. These costs were estimated for each member country based on the number of people from that country who attended RCA

mutation breeding activities in each year and assumed that opportunity costs per person-day are proportional to that country's real GDP per capita in that year. In general, people who attend mutation breeding courses and workshops are highly skilled workers and thus earn more than the average worker. To accommodate this, opportunity costs were calculated based on a multiple of real GDP per capita for each country, where the multiple was determined from information from the International Labour Organization about the relative costs of skilled labour in each country.

These assumptions are summarized in Table 12 (for brevity, only GDP figures for 2019 are shown, but the cost estimates were based on similar GDP figures for other years). On average across member countries, it was assumed that opportunity costs of time for attending mutation breeding training courses and workshops are around 1.5 times higher than overall real GDP per capita in each member country. These estimates were used

²² Expert missions were not included in the estimates of costs incurred by member countries. It was understood that expert missions are facilitated and funded by the IAEA and thus are included in the estimates of the IAEA's costs.

together with information from the IAEA about the number of people from each member country who attended mutation breeding training courses and workshops to estimate the opportunity costs incurred by each member country, assuming that each mutation breeding training course lasts for two weeks and each workshop lasts for one week. As with the IAEA's costs, it was also assumed that member countries incurred additional overhead costs at a rate of 10 per cent in the baseline scenario.

Country	2019 real GDP per capita (US\$)	GDP per capita multiple for high skill labour cost
Australia	49 756	1.33
Bangladesh	4754	1.70
China	16 117	*1.47
Cambodia	4389	1.34
Fiji	13 853	1.80
India	6754	*1.47
Indonesia	11 812	1.47
Japan	41 429	*1.47
Korea, Rep.	42 661	1.15
Lao PDR	7826	0.88
Malaysia	28 351	1.94
Mongolia	12 310	1.14
Myanmar	5142	1.09
Nepal	3417	1.18
New Zealand	42 888	*1.47
Pakistan	4690	1.81
Palau	18 364	*1.47
Philippines	8908	2.10
Singapore	97 341	1.68
Sri Lanka	13 078	1.58
Thailand	18 463	2.00
Viet Nam	8041	1.47

Table 12: Opportunity cost of time assumptions for RCA member countries

Source: World Bank and International Labour Organization.

* Value not available, so the average value for all other countries was used.


Economic costs incurred by member countries associated with additional development of mutant varieties

For countries where mutation breeding experts indicated that participating in the RCA enabled the development of additional mutant varieties, the costs of development of those varieties were attributed to this RCA. This is because, while these are not direct costs of the RCA itself, they would not have been incurred without the RCA and thus should be counted as economic costs associated with the RCA.

For this report, it was assumed that additional mutant variety development costs were incurred in all RCA member countries where mutation breeding experts from those countries said that the RCA led to the development of additional mutant varieties: Bangladesh, Laos, Mongolia, Nepal, and Sri Lanka. These costs were attributed to the RCA regardless of whether this development led to commercially successful mutant varieties, since the costs of unsuccessful (or not yet successful) development are still costs that were created by the RCA.

The costs incurred by these countries were estimated to develop additional mutant varieties under the RCA on information provided by mutation breeding experts about the amount of effort required to develop a new mutant variety. On average, it was assumed that developing a new variety requires 5400 person-days of effort (with low and high scenarios of 4000 and 6800 days). For Sri Lanka, it was assumed that this development was associated with the commercially successful tomato variety (see Table 9 above), with costs incurred over the period from 2003 to 2009. For the other four countries, it was assumed that these costs were incurred between 2000 and 2009, based on information from mutation breeding experts that development of mutant varieties takes around ten years on average.

To translate these estimates of development effort into costs, the same estimates of labour



costs were used to calculate the opportunity costs for each country of attending RCA mutation breeding training courses and workshops (see Table 12 above). It was also assumed that each country incurred an additional 10 per cent of overhead costs associated with administrative costs of their mutation breeding programme.

Net present value and break-even calculations

A key measure of the economic impact of the RCA is the net present value (NPV) of the estimated benefits minus the estimated costs, i.e. the estimated net economic impact that are attributable to the RCA. The NPV is expressed in 2020 values after adjusting for the timing of these benefits and costs. As explained above, the NPV includes benefits and costs incurred between 2000 and 2019, and some benefits expected to be incurred beyond 2019 that are attributable to mutant varieties developed under the RCA between 2000 and 2019.

This cost-benefit analysis is mainly retrospective, i.e. it primarily evaluates outcomes that have already occurred. The usual practice in a forward-looking social cost-benefit analysis (i.e. an analysis that is based on projections of future outcomes) is to discount future outcomes by a multiple that depends on a social discount rate and how far into the future these outcomes occur. Specifically, the discounted value of a benefit or a cost x that occurs t years in the future given a social discount rate of r is $x / (1 + r)^t$. In forward-looking social cost-benefit analysis, the justification for such discounting is that there is uncertainty about whether future outcomes will occur, and this uncertainty means that benefits and costs that occur now have greater value than those that occur in the future.

In a retrospective cost-benefit analysis there is no uncertainty about whether outcomes will occur, since these have already occurred. However, to be consistent with the justification

for discounting in a social cost-benefit analysis, it is necessary to carry out a retrospective analysis as if it were a forward-looking analysis and to discount benefits and costs over time in the same way. For this reason, this analysis discounts all benefits and costs incurred between 2000 and 2019 back to the year 2000, i.e. the cost-benefit analysis is structured as if the cost-benefit analysis was carried out at the beginning of the evaluation period. For ease of interpretation, all benefits and costs in 2020 euros, i.e. excluding changes in the value of money over time due to inflation.

The analysis used a discount rate of 10.2 per cent (low scenario 5.2 per cent, high scenario 15.2 per cent) for benefits and costs that occur between 2000 and 2019 and a discount rate of 8.2 per cent (low scenario 3.2 per cent, high scenario 13.2 per cent) for benefits that occur in 2020 and beyond. These rates were established by assigning the RCA member countries to low, medium, and high risk categories. Between 2000 and 2019 discount rates of 5 per cent, 10 per cent, and 15 per cent for low, medium, and high risk countries respectively were assumed. For 2020 onwards, it is assumed slightly lower discount rates of 3 per cent, 8 per cent, and 13 per cent, reflecting the fact that global interest rates have declined substantially in recent years and are likely to remain low in coming years.

It is important to note that discounting has somewhat complicated effects on the net present value of economic benefits attributable to the RCA. Discounting reduces the present value of future benefits, as explained above. However, some of the benefits of the RCA are due to bringing forward the benefits of some mutant varieties, and these benefits are greater when the discount rate is higher. Thus, increasing the discount rate has two offsetting effects on the present value of the estimated benefits of the RCA. This means that the net present value of the estimated benefits does not necessarily decrease when the discount rate increases.

For some key parameters in the cost-benefit model, a break-even analysis was also carried out. This involves finding the value of the parameter that makes the estimated NPV of the RCA equal to zero. Thus, as long as a parameter is above its break-even value, the NPV is likely to be positive, i.e. benefits are likely to exceed costs.


Summary of assumptions in the economic analysis

As described above, estimates for the economic benefits and costs depend on a number of assumptions and therefore there is

some uncertainty associated with estimates for economic benefits and costs. This uncertainty has been captured by estimating ranges of benefits and costs within which it was expected the actual benefits and costs to lie. Baseline estimates of benefits and costs are presented as well as lower and upper limits of a range around this baseline. The baseline represents an overall best estimate of the benefits and costs. The lower and upper limits should not be interpreted as specific scenarios; rather these reflect the range within which actual benefits and costs could lie. Table 13 summarizes these assumptions and scenarios.

Parameter	Low scenario	Baseline scenario	High scenario
RCA and mutant variety development overhead costs	5%	10%	20%
Mutation breeding workshop duration (including travel time)	5 days	7 days	9 days
Mutation breeding training course duration (including travel time)	12 days	14 days	16 days
Person-days of effort required to develop a new mutant variety	4000 days	5400 days	6800 days
Modelled duration of mutant variety benefits attributable to the RCA	3 years	6 years	9 years
Reduction in mutant variety development time for varieties sped up by the RCA	1 year	2 years	3 years
Proportion of benefits attributable to the RCA for mutant varieties developed before 2000 where the RCA enabled further development	0%	25%	50%
Gross operating profit margin on crops	10%	20%	30%
Discount rate for 2000 to 2019	5.2%	10.2%	15.2%
Discount rate for 2020 onwards	3.2%	8.2%	13.2%

Table 13: Summary of scenarios for key cost-benefit parameters



In addition, amounts in US dollars were converted to euros using the annual average exchange rate obtained from the World Bank for historic values. Future values were converted using the 2019 exchange rate (€0.89 per US\$), i.e. assuming that future exchange rates remain constant.

Cost-benefit analysis results

Table 14 summarizes estimates for the costs and benefits attributable to the RCA under the baseline assumptions from Table 13 above:

- €1.56m (present value) of costs were estimated to be attributable to the RCA. The majority of these costs (74 per cent) are due to RCA activities such as training courses and workshops. The remainder of costs are due to additional development of mutant varieties in member countries that were estimated would not have occurred in the absence of the RCA.
- €17.32m (present value) of economic benefits were estimated to be attributable to the RCA. Almost all of these benefits come from speeding up the development of mutant varieties that were developed in member countries and that entered commercial production between 2000 and 2019. At this stage, only a small proportion of benefits attributable to the RCA were due to the development of additional mutant varieties between 2000 and 2019 that would not have been developed in the absence of the RCA. This is because most countries where the RCA has assisted with the development of additional mutant varieties have not yet put such varieties into commercial production (the only exception being tomatoes in Sri Lanka).

- Overall, net benefits of €15.76m were estimated that can be attributed to the RCA. This includes all estimated benefits and costs between 2000 and 2019, and estimated benefits beyond 2019 for mutant varieties that were developed under the RCA between 2000 and 2019.

These results suggest that, in the baseline scenario, the RCA generated economic benefits that are significantly in excess of its costs. When interpreting this finding, it is important to note that:

- These results have come from a mainly retrospective cost-benefit analysis and the results are driven by the particular mutant varieties of crops that have been produced under the RCA and were in commercial production between 2000 and 2019. This analysis gives information about the historic economic performance of the RCA, but it is not necessarily the case that future outcomes will be similar to past outcomes. This retrospective cost-benefit analysis should therefore not be used to inform decisions about the future of the RCA programme.
- The estimated cost-benefit ratio of 11.12 implies that, historically, each €1 of costs was associated with €11.12 of economic benefits. This is an aggregated result and does not imply that increasing expenditure on the RCA programme would increase economic benefits by a similar ratio. It was not estimated how economic benefits are likely to change if the scale or expenditure on mutation breeding projects under the RCA was increased or decreased.

Estimate	Present value (2020 €m)
Costs attributable to the RCA	
RCA mutation breeding activities	
IAEA costs	1.01
Member country costs	0.14
Total	1.15
Additional mutant variety development costs due to RCA	0.41
Total costs	1.56
Benefits attributable to the RCA	
Faster development of mutant varieties	17.28
Additional development of mutant varieties	0.04
Total benefits	17.32
Net benefits attributable to the RCA	
Total benefits – Total costs (NPV)	15.76
Benefit-cost ratio	11.12

Table 14: Estimated economic benefits and costs attributable to the RCA for baseline parameter values

Figure 24 shows how the NPV of estimated benefits minus estimated costs of the RCA varies under the alternative low and high values of the parameters given in Table 13 above.²³ This shows that the estimated NPV is most sensitive to four key parameters:

- The discount rates (the historic and future discount rates were varied simultaneously in generating the sensitivity results)
- The assumed gross operating profit margin on crops.
- The extent that the RCA is assumed to speed up the development of mutant varieties.
- The number of years for which the benefits of mutant varieties in commercial production are modelled and attributed to the RCA.

²³ In most cases, the NPV in the baseline scenario lies in the middle of the sensitivity range for each parameter. The exception is the discount rate, where the baseline NPV is at the top of the sensitivity range. As explained earlier, changing the discount rate has complex effects on the NPV due to the fact that most of the benefits of the RCA arise from speeding up the development of mutant varieties, and the benefits of speeding up increase when the discount rate increases. It turns out that the baseline discount rates almost maximise the benefits from faster development of mutant varieties, hence the NPV decreases when the discount rates are either increased or decreased away from the baseline values.




Figure 24: Sensitivity of NPV estimates to changes in key parameters

Given the sensitivity results, a break-even analysis was carried out on the four key parameters above. This involved finding the value of the parameter at which the NPV is zero, if feasible. The results of the break-even analysis are as follows:

- The NPV is zero if the discount rate is 0.7 per cent (for both historic and future periods).
- The NPV remains positive even if the gross operating profit margin on crops is assumed to be 0 per cent (€5.58m)

- The NPV is zero if the extent that the RCA is assumed to speed up the development of mutant varieties is 0.16 years (approximately two months).
- The NPV remains positive even if the benefits of mutant varieties in commercial production are modelled and attributed to the RCA only for one year (€2.08m).

Overall, this sensitivity analysis suggests that the NPV of the RCA is likely to remain positive under plausible alternative parameter values and modelling assumptions.

Annex G: Methodology

The social and economic impact assessment methodology was developed specifically for the IAEA, for case studies of Technical Cooperation projects under the Regional Cooperative Agreement (RCA) for Research, Development and Training Related to Nuclear Science and Technology for Asia and the Pacific. The methodology follows the *Value for Investment* approach developed by Julian King (King, 2017; King, 2019; King and OPM, 2018) and the Kinnect Group approach to evaluation rubrics (King et al., 2013; McKegg et al., 2018). The mutation breeding case study is the first RCA case study to use the methodology.

Evaluating impact in complex environments

From the outset it was acknowledged that these case studies would be challenging to conduct. The RCA is a complex environment for evaluation. There are diverse countries and stakeholder groups, long-term investments of decades, with contexts that are continuing to evolve, and multiple outcomes sought across a range of thematic areas. Impact evidence has not been routinely collected; the IAEA's Technical Cooperation's outcome monitoring systems have generally focused on immediate outcomes and have not included longer-term social and economic impacts.

A methodology was needed that could:

- Evaluate impact retrospectively, looking back many years
- Evaluate long-term effects, because there is often a long lag between project completion and the realization of social and economic impact
- Capture unexpected outcomes, instead of just looking for the expected outcomes, because these can be as impactful as the project's originally stated target outcomes
- Measure the intangible value of the RCA's contributions, such as networking, in addition

to outcomes that are more amenable to numeric and/or monetary metrics


- Deal with the complexity of attribution (or at least contribution), recognising that one outcome can arise from many contributions (of which the RCA project may be only one) and conversely one project may contribute to many different outcomes or impacts.

Developing the methodology

A meeting was held in Vienna, Austria from 1-4 July 2019 to establish a methodology and work plan for performing the case studies. The meeting had eight participants including representatives from the IAEA's Technical Cooperation's Division for Asia and the Pacific and Division for Programme Support and Coordination, and invited experts from China and New Zealand. Invited experts Dr Julian King and Kate McKegg summarized and compared approaches and tools for social and economic impact assessment. A methodology was proposed – *Value for Investment* – that combines strengths from the disciplines of economics and evaluation.

Evaluation is the systematic determination of the merit, worth or significance of something. Evaluation of social and economic impact requires not only *evidence* of those impacts, but also *valuing* – interpreting the evidence through the lens of what matters to people (King, 2019). Economics and evaluation bring different approaches to valuing. For example, cost-benefit analysis uses money as the metric for understanding value (Drummond et al., 2005), while other approaches include numerical or qualitative synthesis (Davidson, 2005), or citizen deliberation (Schwandt, 2015).

The Value for Investment approach combines approaches to valuing from evaluation and economics. It accommodates multiple values (e.g. social, cultural, environmental and economic) and multiple sources of evidence (qualitative and quantitative) to enable



robust and transparent ratings of the RCA's impacts. The approach involves eight steps:

1. Understand the programme or project, including its context, stakeholders and theory of change.
2. Develop performance criteria – the aspects of social and economic impact that will be the focus of the evaluation – e.g. increased food production, reduced use of agricultural inputs, etc.
3. Develop performance standards for each criterion – narratives that describe levels of performance such as 'excellent', 'good', 'adequate' and 'inadequate'.
4. From the criteria and standards, select and identify the evidence needed and the methods that should be used to gather the evidence – e.g. surveys, case examples, administrative data, etc.
5. Gather evidence. Note that the evidence needed and means of gathering it need to be tailored to the circumstances of the project.
6. Analyse the evidence. At this stage, each evidence source is analysed separately, using methods suited to each source – e.g. quantitative analysis of survey data, qualitative analysis of case examples, economic analysis of costs and benefits.
7. Synthesize the evidence. At this stage, the streams of analysis are brought together to make evaluative judgements – ratings of performance according to the agreed criteria and standards.
8. Reporting, based on the criteria agreed in advance.

Following this sequence of steps helps ensure the evaluation is aligned with the RCA context, gathers and analyses the right evidence, interprets the evidence on an agreed basis, and provides clear conclusions about the RCA's social and economic impact. Involving stakeholders in the design of the evaluation and the interpretation

of findings supports understanding, ownership, validity and use (King, 2019).

It was agreed that this methodology would be piloted to assess social and economic impact of RCA mutation breeding projects, before being applied to other fields of RCA activity in the future. This report presents the findings from the pilot social and economic impact assessment. The design and conduct of the mutation breeding case study are described as follows.

Piloting the methodology

A meeting was held in Vienna from 18-22 November 2019 to design the mutation breeding impact assessment. The meeting included participants from the IAEA's Technical Cooperation's Division for Asia and the Pacific and Division for Programme Support and Coordination invited experts in mutation breeding (Luxian Lui, China; Soeranto Human, Indonesia; Le Huy Ham, Viet Nam), and invited experts in evaluation from the RCA (Julian King, Australia-New Zealand, Kate McKegg, New Zealand, and Andres Arau, Spain).

The invited evaluation experts facilitated agreement on:

- A theory of change for mutation breeding under the RCA
- Evaluation criteria and standards to assess the social and economic impact of RCA mutation breeding projects
- Necessary evidence for the assessment
- The use of an online data collection tool to collect key data from all countries involved in the RCA
- Specific data items needed for the online data collection tool.

The meeting also reached agreement on subsequent tasks, a timeline and a team of five experts to carry out the impact assessment, with coordination and support from the IAEA.

Theory of change

A theory of change is a depiction of the programme to be evaluated, including the needs it is intended to meet and how it is intended to function (King, 2019). A theory of change “explains how activities are understood to produce a series of results that contribute to achieving the final intended impacts” (Rogers, 2014, p. 1).

The theory of change for the mutation breeding programme (Figure 25) was developed and agreed by participants. Developing a theory of change in a participatory manner helps lead to a clear and shared understanding of the programme (Funnell and Rogers, 2011).

A theory of change may be used as a tool when assessing causality or contribution (Funnell and Rogers, 2011). In the case of mutation breeding under the RCA, the focus was on the added value of regional collaboration. In the absence of a measurable counterfactual (e.g. a control group), the evaluation design theorized that regional collaboration would add value by strengthening regional capacity, by supporting some research that would not otherwise have been undertaken, and by enabling some

research to be successfully completed more quickly than would have been possible without the RCA. These theories were tested by eliciting feedback from the participating countries.

A theory of change can also be used to help identify a complete and coherent set of evaluation criteria (Davidson, 2005). For the mutation breeding case study, it was agreed that the focus of the evaluation would be on four impact areas:

- Increased food production
- Enhanced environmental protection
- Strengthened regional capacity and sustainability
- Economic impacts.

Criteria and standards

Evaluation criteria and standards for the four impact areas were collaboratively developed. Table 15 sets out the *rubric* (matrix of criteria and standards) used in this impact assessment. The columns of the rubric correspond to impact areas from the theory of change, while the rows describe levels of performance.





Figure 25: Theory of change for RCA mutation breeding projects

	Criterion 1: Increased food production	Criterion 2: Enhanced environmental protection	Criterion 3: Strengthened regional capacity and sustainability	Criterion 4: Economic impacts (break even analysis)
Excellent (Exceeding expectations)	<p>New varieties of crops contribute to a net increase in the overall production (over 10% in the area occupied by the new mutant varieties).</p> <p>More than one desired trait is improved for some target crops.</p>	<p>For most target crops, each mutant variety or advanced line contributes to at least:</p> <p>15% reduction in pesticide use, without significant reduction in production or</p> <p>20% reduction in artificial fertilizer use, without significant reduction in production or</p> <p>20% increase in water use efficiency, without significant reduction in production.</p>	<p>As a result of the support under the RCA programme:</p> <p>A sufficient number of trained, qualified experts in the region to sustain mutation breeding research</p> <p>Stakeholders contribute resources that enable expansion for breeding, dissemination of mutants, and contribution to knowledge (for example, royalties, public-private partnerships)</p> <p>There is a mutation breeding network within the country, with connections to many stakeholders</p> <p>The region contributes widely cited publications in major journals.</p>	<p>Economic analysis suggests with a high level of certainty that the investment is better than alternatives.</p> <p>Break-even is likely in nearly all scenarios (even under pessimistic assumptions)</p>
Good (Meeting expectations)	<p>New varieties of crops contribute to a net increase in the overall production (5-10% in the area occupied by the new mutant varieties), and also produce some advanced mutant lines (i.e. potential to be released).</p> <p>At least one desired trait is improved for target crops.</p>	<p>For most target crops, each mutant variety or advanced line contributes to at least:</p> <p>8% reduction in pesticide use, without significant reduction in production or</p> <p>10% reduction in artificial fertilizer use, without significant reduction in production or</p> <p>10% increase in water use efficiency, without significant reduction in production.</p>	<p>As a result of the support under the RCA programme:</p> <p>An increased number of participating State Parties have a national programme in mutation breeding</p> <p>All participating State Parties have a growing number of trained personnel in mutation breeding</p> <p>Some participating State Parties are resource countries to the region and beyond</p> <p>Some participating State Parties are contributing new knowledge and methodologies to the mutation breeding field (including training of trainers and scientific publications)</p> <p>The research programmes of some participating State Parties attract funding from donors.</p>	<p>Economic analysis suggests more likely than not, that the investment is better than alternatives.</p> <p>Break-even is likely in over half the range of scenarios (and under realistic mid-range assumptions)</p>



Criterion 1: Increased food production		Criterion 2: Enhanced environmental protection	Criterion 3: Strengthened regional capacity and sustainability	Criterion 4: Economic impacts (break even analysis)
Adequate (Meeting bottom-line expectations)	New varieties of crops contribute to a net increase in the overall production (up to 5% in the area occupied by the new mutant varieties), and also produce some valuable mutant lines (i.e. potential genetic material for further breeding research).	For most target crops, mutant varieties or advanced lines contribute to 5% reduction in pesticide use or artificial fertilizer use or water use efficiency.	<p>The planned training and workshops take place, providing minimum numbers of trainees. Pre/post tests indicate knowledge transfer.</p> <p>The majority of participating State Parties are engaged in networking (formal and/or informal) within and between State Parties.</p> <p>All participating State Parties have experimental field facilities to carry out mutation breeding research and can access necessary laboratory facilities for mutation breeding in the region.</p> <p>Policy makers and at least one other stakeholder (for example, donor, university, company) are supporting the mutation breeding programme.</p>	<p>Economic analysis suggests under some scenarios, that the investment is better than alternatives.</p> <p>Break-even is possible (under plausible assumptions)</p>
Inadequate	Criteria for adequate are not met.	Criteria for adequate are not met.	Criteria for adequate are not met.	Break-even is unlikely (or only possible under optimistic assumptions)

Table 15: Rubric (criteria and standards) for RCA mutation breeding projects

Evidence for the assessment

The theory of change, criteria and standards provided important points of reference to identify what evidence is needed for the impact assessment. For this reason, selection of methods was undertaken after clarifying the theory of change, criteria and standards. This sequence of steps helps to ensure that the evidence is relevant and focuses on the right changes (King and OPM, 2018).

Examination of the rubric above revealed that the social and economic impact of the

RCA is diverse, and a mix of quantitative, qualitative and economic evidence was needed for the impact assessment. For example, increased farmers' incomes and reduced use of agricultural inputs have a monetary value that is relatively simple to estimate. However, economic benefits are only realized when mutant varieties enter into commercial production. Inclusion of additional methods and data sources enabled assessment of wider impact and value such as increased regional mutation breeding

capacity and capability, and improved quality characteristics of crops that have not yet translated into significant economic value.

Accordingly, the case study used a mix of methods, including:

- An online questionnaire deployed to all countries in the RCA.
- Analysis of administrative data on mutation breeding activity and costs, provided by the IAEA.
- Gathering additional information from mutation breeding experts at the IAEA and State Parties.
- Narrative case examples, written from details provided by selected countries on a selection of 'success cases' of mutation breeding in crops.
- Economic analysis of costs and benefits of mutation breeding research under the RCA.

Online questionnaire

The online questionnaire was developed in late 2019 and deployed in February 2020. The data collection period coincided with the onset of the COVID-19 pandemic as many countries went into lockdown. The support and cooperation of country representatives and IAEA staff during these unusual circumstances is gratefully acknowledged.

The survey was structured in alignment with the rubric, to capture evidence needed in the four impact areas. It included a mix of quantitative (numeric or categorical) and qualitative (free-text) fields. The survey was administered

electronically. Respondents entered data into a secure online form, with automatic data validation. Responses were automatically compiled into a database for analysis.

Communication with countries about the online survey was led by the IAEA and included communication prior to deployment (to forewarn senior country representatives of the purpose and timing of the survey, giving them time to nominate a staff member responsible for completing the survey and set aside time for this task) and during deployment (including reminders, follow-up questions where needed to clarify responses, and thanking country representatives for their close and effective cooperation). This communication and coordination from the IAEA were critical to the success of the survey.

Case examples

Development of the case examples occurred concurrently with survey data collection. The selection of case examples was agreed with the IAEA's Technical Cooperation Division for Asia and the Pacific and the Division for Programme Support and Coordination. The senior contact person from each of the selected countries was contacted by the IAEA to invite their participation.

Templates and instructions were developed for the countries preparing case examples and were sent to the nominated contact people. After receipt of the case study data, follow up contact was made with the contact people as required to clarify details. Narrative summaries were prepared.

Works cited

Davidson, E.J. (2005). *Evaluation Methodology Basics: The nuts and bolts of sound evaluation*. Sage.

Drummond, M.F., Sculpher, M.J., Torrance, G., O'Brien, B.J., and Stoddard, G.L. (2005). *Methods for the economic evaluation of health care programs*. Oxford University Press.

Funnell, S.C., and Rogers, P.J. (2011). *Purposeful Program Theory: effective use of theories of change and logic models*. Jossey-Bass.

King, J. (2017). *Using Economic Methods Evaluatively*. American Journal of Evaluation, 38(1), 101–113.

King, J. (2019). *Evaluation and Value for Money: Development of an approach using explicit evaluative reasoning*. (Doctoral dissertation). University of Melbourne.

King, J., McKegg, K., Oakden, J., Wehipeihana, N. (2013). *Rubrics: A method for surfacing values and improving the credibility of evaluation*. Journal of MultiDisciplinary Evaluation, 9(21), 11-20.

King, J. and OPM (2018). *OPM's approach to assessing value for money – a guide*. Oxford Policy Management Ltd.

McKegg, K., Oakden, J., Wehipeihana, N., King, J. (2018). *Evaluation Building Blocks: A Guide*. The Kinnect Group.

Rogers, P. (2014). *Theory of Change*. Methodological Briefs: Impact Evaluation 2. UNICEF Office of Research.

Schwandt, T., (2015). *Evaluation Foundations Revisited: Cultivating a Life of the Mind for Practice*. Stanford University Press.



IAEA

International Atomic Energy Agency

Atoms for Peace and Development